International Electrotechnical Commission
International Organization for Standardization
Graph
This is a preview - click here to buy the full publication
ENTER
(requires password)

The database on Graphical Symbols for Use on Equipment contains the complete set of graphical symbols included in IEC 60417 and ISO 7000. It therefore offers end-users a "one-stop" shop for all such graphical symbols. These International Standards are maintained respectively by IEC/TC 3, subcommittee SC 3C and ISO/TC 145, subcommittee SC 3.

Each graphical symbol is identified by a reference number and contains a title (in English and French), a graphical representation in GIF and vectorized PDF format, and some additional data as applicable. Various search and navigation facilities allow for easy retrieval of graphical symbols.

Subscriptions

Customers have the possibility to subscribe to the joint IEC and ISO collection of symbols or to each respective organization's symbols only.

Joint IEC 60417 and ISO 7000 collection
The most cost effective solution is the combined collection which offers the IEC 60417 and ISO 7000 collections in database format, with the possibility to download IEC 60417 snapshots or the ISO 7000 standard in PDF format. In order to subscribe please contact your local IEC National Committee/approved sales outlet or local ISO member, or visit the IEC Webstore or the ISO Store.

IEC 60417 collection only
If you are only interested in those graphical symbols produced by the IEC, then this restricted collection offers you access to the IEC 60417 standard only, with PDF snapshots of the entire collection available for added value. In order to subscribe please contact your local IEC National Committee/approved sales outlet or visit the IEC Webstore.

ISO 7000 collection only
If you are only interested in those graphical symbols produced by ISO, then this restricted collection offers you access to the ISO 7000 standard only, with a PDF version of ISO 7000:2004 available for added value. In order to subscribe please contact your local ISO member or visit the ISO Store.

Special access requests

IEC National Committees (click here)
ISO members (click here)
IEC TC/SC Officers (click here)
ISO TC/SC Officers (click here)

IEC National Committees and ISO Member Bodies should indicate the names of the staff members to be authorized and the username used for accessing documents on the IEC or ISO web site respectively.

TC/SC officers should indicate their position with respect to a given TC/SC (chair, secretary, convenor) and the username used for accessing documents on the IEC or ISO web site respectively.

Localized versions

In addition to the international standard IEC 60417 maintained by IEC/TC 3, subcommittee SC 3C, IEC also hosts localized versions of IEC 60417 maintained under the responsibility of the respective National Committee. The following localized version is currently available:

Japanese

Queries and comments

Please send any queries or comments to the IEC Customer Service Centre or to ISO Customer Services.

Web page created 2015-06-02

Copyright © 2015 IEC, ISO, Geneva, Switzerland. All rights reserved

This is a preview - click here to buy the full publication

Home
Introduction
General description

Symbols by:
- Symbol ID
- Name (IEC 60417)
- Name (ISO 7000)
- Keywords
- Shape
- Function
- Application
- TC/SC
- Publication
- Status
- Date of release

Advanced Search

Snapshots (PDF)
Print overview

Contact

Maintenance:
- CR for action
- CR by status
- CR by number
- Lists
- Keywords
- New symbol
- New CR
- New list item
- Report: IEC CRs
- Report: IEC Symbols
- Report: ISO CRs
- Report: ISO Symbols

Introduction

The database is organized as a set of "data sheets" describing the graphical symbols and their attributes. Please click on "General description" on the left panel to see how the database is structured and how to use graphical symbols.

IEC 60417 is used as a reference by the following IEC member countries:

> Austria, Belgium, Canada, Cyprus, Czech Republic, Denmark, Finland, France, Germany, Ireland, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Spain, Sweden, Switzerland, Ukraine, United Kingdom

Languages

The database is bilingual with all symbol data available in English and French. While viewing a symbol data sheet you can switch back and forth between the two languages.

Links

All items in blue represent links to other elements or to specific action.

Finding a symbol

The database provides two methods for finding a symbol:

1. Search function (top right of each page)

> You can combine two search terms with a boolean "AND", "OR" or "NOT" operator.

2. Categorized views

> Symbols are categorized by symbol ID, name, keyword, shape, function, application, TC/SC, publication and status. Some of the views are presently not available for ISO 7000 graphical symbols.

Snapshots

Snapshots of the database contents are made available fro reference purposes in PDF format. Please click on "Snapshots" in the left panel for further information.

Submitting proposals for change requests

The maintenance process for any changes to this joint IEC 60417 and ISO 7000 database, either for the inclusion of a new graphical symbol or a change to existing graphical symbols should be initiated by a change request (CR). Details are defined in the ISO/IEC Directives (IEC specific procedures, Annex J for IEC 60417 symbols, and ISO specific procedures, Annex ST for ISO 7000 symbols).

In drafting technical content that may be included in the CR, please refer to IEC 80416-1, Basic principles for graphical symbols for use on equipment – Part 1: *Creation of graphical symbols for registration* and ISO 80416-2: Basic principles for graphical symbols for use on equipment – Part 2: *Form and use of arrows*. The most recent guidance for the wording of the description for a symbol original can be found on both the IEC TC 3/SC 3C and ISO TC 145/SC 3 website.

Proposers of such change requests can click here to send an e-mail to the secretaries of IEC SC 3C and ISO TC 145/SC 3 who are responsible for the maintenance of IEC 60417 and ISO 7000, respectively.

Copyright © 2015 IEC, ISO, Geneva, Switzerland. All rights reserved

This is a preview - click here to buy the full publication

Home
Introduction
General description

Symbols by:
- Symbol ID
- Name (IEC 60417)
- Name (ISO 7000)
- Keywords
- Shape
- Function
- Application
- TC/SC
- Publication
- Status
- Date of release

Advanced Search

Snapshots (PDF)
Print overview

Contact

Maintenance:
- CR for action
- CR by status
- CR by number
- Lists
- Keywords
- New symbol
- New CR
- New list item
- Report: IEC CRs
- Report: IEC Symbols
- Report: ISO CRs
- Report: ISO Symbols

General description

A graphical symbol is a visually perceptible figure used to transmit information independently of language. The graphical symbols for use on equipment are used for a wide range of purposes. For such graphical symbols, consistency in design of families of symbols used in one location or on similar equipment is an important issue, as is legibility when these symbols are reduced to small dimensions. Thus, there have been common provisions among areas covered by IEC and ISO on basic principles for graphical symbols for use on equipment to ensure visual clarity, to maintain consistency and thereby to improve recognition (see IEC 80416-1 and ISO 80416-2).

Scope

IEC 60417 graphical symbols are primarily intended to:
- identify the equipment or a part of the equipment (e.g. a control or display);
- indicate a functional state (e.g. on, off, alarm);
- designate connections (e.g. terminals, filling points for materials);
- provide information on packaging (e.g. identification of contents, instructions for handling);
- provide instruction for the operation of the equipment (e.g. limitations of use).

IEC 60417 does not apply to symbol originals for:
- safety signs;
- use on drawings and diagrams;
- use in technical documentation of products and in technical product documentation;
- use for public information.

IEC 60417 has the status of a horizontal standard in accordance with IEC Guide 108.

ISO 7000 provides a synopsis of those graphical symbols which are placed on equipment or parts of equipment of any kind in order to instruct the person(s) using the equipment as to its operation.

Structure of the database

Each graphical symbol carries a registration number (symbol ID) and a name in English and French, together with a graphical representation in GIF and in vectorized PDF format. There are also several optional fields. Below is a full listing of all the database fields. Some of them do not apply presently to ISO 7000 graphical symbols.

- Symbol ID
- Name
- Graphical representation in GIF format
- Graphical representation in vectorized PDF format
- Status
- Product area
- Description
- Notes
- Date of release
- Date of withdrawal
- Example of application class
- Function class
- Shape class
- Keywords
- Publication reference
- Relevant TCs and publications
- Replacing
- Replaced by
- Change requests

How to use released graphical symbols

The graphical symbols are intended for use on equipment; generally speaking any kind of equipment. The field "Example of application class" can be used to indicate more specifically

This is a preview - click here to buy the full publication

Guidelines for the application of graphical symbols for use on equipment are in IEC 80416-3. Supplementary guidelines for the adaptation of graphical symbols for use on screens and displays (icons) are in ISO 80416-4.

Web page created 2015-06-02

Copyright © 2015 IEC, ISO, Geneva, Switzerland. All rights reserved

This is a preview - click here to buy the full publication



0001:
Limited rectilinear motion

0002:
Limited rectilinear motion and return

0003:
Limited reciprocating rectilinear motion (continuous)



0004:
Direction of continuous rotation



0005:
Rotation in two directions

0006:
Limited rotation

0007:
Limited rotation and return

0008:
Oscillating rotary movement (continuous)

0009:
One revolution

0010:
Number of revolutions per minute; rotational speed



0011:
Electric motor, general

0012:
Gear drive



0013:
Belt drive



0014:
Chain drive

0015:
Coupling

0016:
Cam

0017:
Automatic control (closed loop)

0018:
Lock; tighten



0019:
Unlock; unclamp



0020:
Brake on



0021:
Brake off



0022:
Engaging; mechanical activation



0023:
Disengaging; mechanical deactivation

0024:
Open (a container)

0025:
Close (a container)

0026:
Automatic cycle; semi-automatic cycle

0027:
Cooling; air conditioning

0028:
Filling

0029:
Draining; emptying

0030:
Overflow

0031:
Lubrication

0032:
Blowing

0033:
Suction

0034:
Temperature

0035:
Temperature, increasing



0036:
Temperature, decreasing

0037:
Wind (continuous material); roll (continuous material)



0038:
Unwind (continuous material); unroll (continuous material)

0039:
Fold (continuous material)

0040:
Adjust guide width at entry

0041:
Adjust right-hand entry guide

0042:
Adjust left-hand entry guide

0043:
Passage of continuous material over driven roller

0044:
Selvedge guiding

0045:
Selvedge uncurling

0046:
Cloth expander

0047:
Change direction of continuous material

0048:
Fabric bow, centred advanced

0049:
Fabric bow, selvedges advanced

0050:
Fabric skew, right-hand selvedge advanced

0051:
Fabric skew, left-hand selvedge advanced

0052:
Cutting of material at centre

0053:
Multiple cutting of material

0054:
Cut [trim] edges of continuous material

0055:
Suction removal of trimmed edges

0056:
Reinforcement [stiffening] of edges

0057:
Opening of selvedge loops

0058:
Entry control

0059:
Delivery control

0060:
Seam guide

0061:
Straining element; clip

0062:
Clip cleaner

0063:
Edge pin; pin plate

0064:
Overfeed pinning

0065:
Clean edge pins; clean pin plates

0066:
Increase width

0067:
Reduce width

0068:
Width adjustment

0069:
Shear; crop

0070:
Brushing by means of a rotating brush

0071:
Brushing by means of a brush belt

0072:
Cleaning of tracks

0073:
Spraying

0074:
Raise or lower trough

0075:
End of reel

0076:
Beginning of reel

0077:
Original difficult to read

0078:
Damaged text; wrong binding

0079:
Incorrect numbering; incorrect date

0080:
Repetition of image

0081:
Missing pages/issues

0082:
High beam; main beam

0083:
Low beam; dipped beam

0084:
Turn signals

0085:
Hazard warning

0086:
Windscreen wiper; windshield wiper

0087:
Windscreen washer and wiper; windshield washer and wiper

0088:
Windscreen washer; windshield washer

0089:
Ventilating fan; air-circulating fan

0090:
Loading and ejection

0091:
Track change

0092:
Tuning alignment

0093:
Remote control

0094:
Control; controlling

0095:
Feedback control

0096:
Manual control

0097:
Rear window wiper

0098:
Rear window washer and wiper

0099:
Rear window washer

0100:
Provision for the disabled or handicapped persons

0101:
Tank, general; vessel

0102:
Reservoir

0105:
Vessel with internals

0106:
Vessel with trays

This is a preview - click here to buy the full publication


0107:
Vessel with fixed bed

0111A:
Heat exchanger without cross-flow

0111B:
Heat exchanger without cross-flow

Filter, filter vessel, strainer

Disk centrifuge; disk separator

Dryer, general

0129:
Crusher

0130:
Mill

0131:
Agitator, general


0133:
Kneaded, general

0134:
Pump; liquid pump

0135:
Centrifugal pump

0137:
Compressor; vacuum pump

0138:
Rotary compressor, liquid-ring type; vacuum pump, liquid-ring type

0141:
Pallet


0142:
Tank car

0143:
Scale, general

0144:
Proportioned for solids

0147:
Electric motor

0149:
Pile

0150:
Dump


0151:
Headlamp levelling control

0154:
Shut-off valve with safety function


0157:
Drains trap

0159:
Level

0160:
Calibration


0161:
Test barrier

0162:
Raising


0163:
Raising in direction of cloth

0164:
Raising against direction of cloth


0165:
Beating process of fabrics

0166:
Polishing process of fabrics

0167:
Adjustment of pile height

0168:
Rotation of raising cylinder with direction of cloth

0169:
Rotation of raising cylinder against direction of cloth

0170:
Brushing by means of cross-brush

0171:
Adjustment of cloth rest

0172:
Rope uncurling

0173:
Tighten chain; tighten belt

0174:
Slacken chain; slacken belt

0175:
Temperature control

0176:
Level control

0177:
Weft adjusting; stitch row straightening

0178:
Weft control; stitch row control

0179:
Roller engaged

0180:
Roller disengaged

0181:
Admixture

0182:
Thermostat

0183:
Pressure gauge

0184:
Roll on board

0185:
Spark coil-ignition element

0186:
Cloth stack

0187:
Lifting of the plaiting table

0188:
Lowering of the plaiting table

0189:
Move the plaiting blade

0190:
Reduction of the length of layer

0191:
Enlargement of the length of layer

0192:
Marking fold protrusion

0193:
Stack height limit

0194:
Rollers

0195:
Disengagement of rollers

0196:
Release roller contact pressure

0197:
Engage lower roller contact

0198:
Engage upper roller contact

0199:
Rollers with internal pressure

0200:
Rollers with internal pressure, pressing/loading

0201:
Ends of rollers

0202:
Pressure on left-hand ends of rollers

0203:
Pressure on right-hand ends of rollers

0204:
Compensation of dead-weight of upper roller

0205:
Compensation of dead-weight of left-hand end of upper roller

0206:
Compensation of dead-weight of right-hand end of upper roller

0207:
Lamination

0208:
Winding side guide

0209:
Guide-roller control

0210:
Guide-roller forwards

0211:
Guide-roller backwards

0212:
Winding and cutting

0213:
Half-width winding

0214:
Cloth scray

0215:
Fill the cloth scray

0216:
Empty the cloth scray

0217:
Inspection table

0218:
Raise inspection table

0219:
Lower inspection table

0220:
Cloth track temperature

0221:
Cloth track humidity

0222:
Rinse

0223:
Cloth track speed compensation

0224:
Measure humidity

0225:
Cloth track steaming

0226:
Cloth track entry

0227:
Cloth track exit

0228:
Disturbance

0229:
Conveyer belt

0230:
Emission of heat by radiation

0231:
Pneumatic energy

0232:
Electric energy

0233:
Pressure measurement

0234:
Valve; shut-off element

0235:
Embossing

0236:
Flanged bobbing; beam

0237:
Unleaded fuel

0238:
Parking brake

0239:
Brake failure; brake system malfunction

0240:
Parking lights

0241:
Bonnet; hood

0242:
Boot; trunk

0243:
Choke; cold starting aid

0244:
Horn

0245:
Fuel

0246:
Engine coolant temperature

This is a preview - click here to buy the full publication



This is a preview - click here to buy the full publication

connection


0361: Level indicator (fluid)
0362: Scraper
0363: Pilot flame
0364: Working flame
0365: Turning
0366: Boring
0367: Planing
0368: Shaping
0369: Slotting
0370: Drilling
0371: Milling
0372: Conventional milling; up cut milling
0373: Climb milling; down cut milling
0374: Grinding
0375: External cylindrical grinding
0376: Internal cylindrical grinding
0377: Plunge cut grinding
0378: Face grinding
0379: Internal honing
0380: External honing
0381: Lapping
0382: Threading
0383: Reaming
0384: Tapping
0385: External broaching
0386: Internal broaching
0387: Shearing; cutting; guillotining
0388: Rolling -- symmetrical rolls
0389: Rolling -- 4 rolls
0390: Bending; folding
0391: Lubricating oil
0392: Face truing [dressing] by single-point tool
0393: Straight truing [dressing] by single-point tool
0394: Crush dressing
0395: Rotary diamond truing
0397: Load workpiece [product]
0398: Unload workpiece [product]
0399: Engage tracer
0400: Disengage tracer
0401: Rotary tool retension
0402: Rotary tool release
0403: Close half-nut
0404: Open half-nut
0405: Pressure cushion decompressed
0406: Pressure cushion gripping
0407: Engage bottom roll, 4 rolls
0408: Engage upper roll, 3 rolls
0409: Engage bottom rolls, 3 rolls
0410: Folding beam up
0411: Folding beam down
0412: Oriented spindle stop
0413: Material [bar feed] to stop position
0414: Cores in moulding position
0415: Cores disengaged from moulding position
0416: Regulation of wall thickness of preform
0417: Change drain and refill
0419: Refer to instruction book, information; reading-room; library
0420: Refer to electrical instruction book (information)
0421: Examine; check
0422: Ready (to proceed)
0423: Manual cleaning
0424: Automatic cleaning
0425: Double tool change arm
0426: One cycle
0427: Interruption of automatic cycle and return to start position
0428: Subcycle
0429: Single tool change arm
0430: Weight
0431: Interrupted rotation
0432: Above working temperature range
0433: Below working temperature range
0434A: Caution
0434B: Caution
0435: Assistance; query
0436: Rotary repeated positioning
0437: Relative motion out
0438: Relative motion in
0439: Dimensional arrow
0440: Direction of continuous rotation, three-dimensional presentation
0441: Compound slide
0442: Steady rest
0443: Workpiece separation, sequencing
0444: Workpiece, stop engage
0445: Workpiece, stop disengage
0446: Workpiece, direction selector, close
0447: Workpiece, direction selector, open
0448: Workpiece, centring
0449: Lock longitudinal, gripping centre points
0450: Chuck jaws in changing position
0451: Welding torch carriage
0452: Gas supply
0453: Workpiece connection
0454: Dropping voltage
0455: Substantially level voltage characteristic
0456: Position lights; side lights
0457: Diesel preheat; engine start aid
0458: Current slope increasing
0459: Welding, general
0460: Manual metal arc welding
0461: MIG/MAG welding
0462: TIG welding
0463: Manual metal arc welding electrode holder
0464: MIG/MAG torch
0465: TIG torch

This is a preview - click here to buy the full publication

0466:
Hopper (powder, flux)

0467:
Submerged arc welding

0468:
Arc spot welding

MIG/MAG spot welding

TIG spot welding

Dip transfer

0472:
Spray transfer

0473:
Pulse transfer

0474:
Purging of air (by gas)

0475:
Arc ignition by contact

0476:
Arc ignition by high frequency

0477:
Plasma torch

0478:
Plasma welding

0479:
Plasma cutting

0480:
Plasma gas

0481:
Plasma shielding gas

0482:
Plasma torch connection to electrode, negative supply

0483:
Plasma torch connection to nozzle, positive supply

0484:
Punch

0485:
Punching

0486:
Document to be filmed

0487:
Document not to be filmed

0488:
Original in colour

0489:
Microform of first generation in colour

0490:
Continuation on another reel

0491:
Continuation of another reel

0492:
Ignition


0493:
Co-ordinate tracing

0494:
Powder paint marking

0495:
Bulbous bow

0496:
Side thruster

0497:
«One-star» compartment

0498:
«Two-star» compartment

0499:
«Three-star» compartment

0500:
Frozen food storage compartment

0501:
Adjust tension of material (cloth or yarn)

0502:
Variation of material (cloth or yarn) tension, with initial position

0503:
Symmetrical course

0504:
Cooling of the fabric web

0505:
Relative humidity; moisture content

0506:
Do not actuate during operation

0507:
Actuate only during operation

0508:
Count the layers

0509:
Pressing by rollers

0510:
Shut-off valve, straight

0511:
Steam energy

0512:
Stretching unit

0513:
Spinning nozzle

0514:
Central position

0515:
Output convection

0516:
Not suitable for use with anaesthetic agents

0517:
Key switch; key fastener

0518:
Counting

0519:
Punch marking

0520:
Punch marking, single/intermittent/continuous

0521:
Movement in direction of arrow from a point of origin

0522:
Mechanical energy

0523:
Heat energy

0524:
Water energy

0525:
Hydraulic energy

0526:
Kerf

0527:
Reduced run; reduced speed

0528:
Much reduced run; much reduced speed

0529:
Smoothing; crushing; rolling

0530:
Steam

0533:
Upper limit of temperature

0534:
Lower limit of temperature

0535:
Transfer of heat in general

0536:
Water; fluid

0537:
Air

0538:
Cutting, general

0539:
Reversal of sequence

0540:
Zero-point adjustment

0541:
Variability with a preset starting point

0542:
Lifting point; central support

0543:
Air cooling

0544:
Water cooling

0545:
Chill roll

0546:
Heating roll

0547:
Synchronization of speeds (e.g. normal and fast speed)

0548:
Pressure control

0549:
Rotational speed control

0550:
Safety cover

0551:
Pressure rollers

0552:
Transverse cutting

0553:
Longitudinal cutting

0554:
De-ionization; static discharge

0555:
Ionization; static charging

0556:
Winding with tangential drive

0557:
Winding with direct drive

0558:
Winding with tangential and direct drive

0559:
Cooling control

0560:
Depositing roller

0561:
Gusset seal off

0562:
Gusset seal on

0563:
Immersion roller; wash roller

0564:
Pressure rollers, one roller with internal pressure

0565:
Movement of one unit in two directions

0566:
Roller; cylinder

0567:
Fold retainer

0568:
Machines in combined operation

0569:
Machine in separate operation

0570:
Brushing against fabric run direction

0571:
Brushing with fabric run direction

This is a preview - click here to buy the full publication

0572:
Seam, general

0573:
Multiple seams


0574:
Adjust shearing unit

Adjust shearing roller to the ledger blade

Engage and disengage shearing roller against inferior knife

Adjust shearing roller


0578:
Raising of pile, general


0579:
Disengage pile-raising roller


0580:
Engage pile-raising roller


0581:
Engage/disengage pile-raising roller


0582:
Processing tank


0583:
Storage tank; preparation tank

0584:
Outward flow of heat carrier

0585:
Return flow of heat carrier

0586:
Present switching for temperature increase


0587:
Adjustment of tank to fabric centre

0588:
Feeler; sensor

0589:
Moisture control

0590:
Swivel device for reeling/winding

0591:
Selvedge lifting

0592:
Change of rotational speed

0593:
Loop blowing device


0594:
Steam blowing device

0595:
Circulation compressor

0596:
Bleeding

0597:
Adjust arc of contact

0598:
Reduce arc of contact

0599:
Increase arc of contact


0600:
Adjustment of lower limit of compensator

0601:
Adjustment of upper limit of compensator


0602:
Loop compartment

0603:
Single-width fabric


0604:
Multi-width fabric

0605:
Wound fabric

0606:
Heater plate


0607:
Fabric out of contact with heater plate


0608:
Fabric in contact with heater plate

0609:
Heating of chamber

0610:
Double plaiting

0611:
Pattern brushing

0612:
Setting of roughing depth

0613:
Knife shaft

0614:
Disengage brushing roller

0615:
Protect from heat and radioactive sources

0616:
Tilt pointed table

0617:
Adjust right-hand side of pointed table

0618:
Adjust left-hand side of pointed table

0619:
Adjust horizontally pointed table

0620:
Lighter

0621:
Fragile; handle with care

0622:
Use no hooks

0623:
This way up

0624:
Keep away from sunlight

0625:
Sling here

0626:
Keep away from rain

0627:
Centre of gravity

0628:
Do not roll

0629:
No hand truck here

0630:
Stacking limit by mass

0631:
Clamp as indicated

0632:
Temperature limit

0633:
Front fog light

0634:
Rear fog light

0635A:
Windscreen demisting and defrosting

0635B:
Windscreen demisting and defrosting

0636A:
Rear window demisting and defrosting

0636B:
Rear window demisting and defrosting

0637A:
Interior heating; heater

0637B:
Interior heating; heater

0638:
Door-lock control

0639:
Long-range lamp

0640:
Engine

0641:
Fuel economy

0642:
Air ventilation, all outlets

0643:
Air ventilation, right outlets

0644:
Air ventilation, left outlets

0645:
Air ventilation, leg room

0646:
Air ventilation, right and left room

0647:
Windscreen wiper, intermittent; windshield wiper, intermittent

0648:
Window lift (power-operated)

0649A:
Heated seat

0649B:
Heated seat

0650:
Subtotal

0651A:
Horizontal return with line spacing

0651B:
Horizontal return with line spacing

0652:
Equals

0653:
Square root

0654:
Multiplication

0655A:
Division

0655B:
Division

0656:
Total

0657:
Non-add

0658:
Line spacing

0659:
Biological risks

0660:
Master attachment

0661:
Master alignment; image shift

0662:
Master inking

0663:
Master damping

0664:
Master priming

0665:
Master ejection

0666:
Blanket inking

0667:
Single-sided original

0668:
Double-sided original

0669:
Single-sided copy

0999:
Forward, search for block number,

1000:
Backward, search for block number, without

1001:
Forward, search for program alignment

1002:
Backward, search for program alignment

1003:
Beginning of program

1004:
End of program

1005:
Backward, search for beginning of program, without

1006:
End of program with automatic rewind to

without machine functions | machine functions | function, without machine functions | function, without machine functions | | | machine functions | beginning of program, without machine functions

This is a preview - click here to buy the full publication

1007: Optional block skip

1008: Manual data input

1009: Axis control, normal (machine follows program)


1010: Axis control in mirror image mode (machine mirrors program)

1011: Reference position

1012: Co-ordinate basic origin

1013: Absolute program (co-ordinate dimension words)

1014: Incremental program (incremental dimension words)

1015: Zero offset

1016: Tool offset, non-rotating tool, vertical

1017: Tool offset, non-rotating tool, horizontal


1018: Tool length compensation (rotating tool)

1019: Tool radius compensation (rotating tool)


1020: Tool diameter compensation (rotating tool)

1021: Tool tip radius compensation

1022: Positioning accuracy, fine

1023: Positioning accuracy, normal

1024: Positioning accuracy, coarse

1025: Write data into store

1026: Read data from store

1027: Reset

1028: Cancel; delete

1029: Reset store contents

1030: Delete store contents

1031: Program data error

1032: Data carrier fault

1033: In position

1034: Storage overflow

1035: Prewarning storage overflow

1036: Storage error

1037: Program storage

1038: Subroutine

1039: Subroutine storage

1040: Program edit

1041: Editing data in storage

1042: Buffer storage

1043: Repositioning


1044: Programmed position

1045: Actual position

1046: Position error; servo error

1047: Grid point; sub-reference position

1048: Program from external device

1049: Data carrier input via an alternative device

1051: Do not re-use

1052: Underwinding

1053: Bobbin; cops

1054: Top reserve; tip bench

1056: Oil; fluid

1058: Neutral zone

1059: Adjust limit; adjust sensitivity

1060: Fabric transport in exit zone

1063: Level too high

1064: Level too low

1065: Support at centre

1066: Travelling blower

1067: Interruption in material flow

1068: Piecing/joining material

1069: Material thickness

1070: Creel

1071: Spinning rotor

1072: Unwind tape

1073: Selvedge control

1074: Selvedge printer

1075: Added fabric web width adjust smaller

1076: Fabric web smoothing

1077: Guide surface of clamp

1078: Link surface of clamping element

1079: Chain link

1080: Cleaning of chain link

1081: Air cushion inlet

1082: Filter-shaking device

1084: Pointed table

1085: Weld one side/end

1086: Weld both sides/ends

1087: Seal, longitudinal

1088: Dryer of fabric web

1089: Steamer; fabric web steamer

1090: Tentering machine

1091: Hotflue

1092: Cylindrical silver can

1094: Roller (front view)

1095: Weft or stitch row

1096: Warp

1097: Selvedge

1098: Guide track in inlet

1099: Roll of fabric (front view)

1100: Overfeed

1101: Arc of contact

1102: Loop

1103: Rotating brush

1104: Cross-brush

1105: Brush band

1106: Plaiting

1107: Write and read data into and from store

1108: Remote control, switch on; remote control, activate

1109: Remote control, switch off; remote control, deactivate

1110: Movement to and from the operator

1111: Movement in two or more steps

1112:

1113: Load rotation

1114: Movement with normal speed in direction of arrow from a fixed position

1115: Movement with fast speed in direction of arrow from a fixed position

1116: Movement with normal speed in direction of arrow to a fixed position

1117: Movement with fast speed in direction of arrow to a fixed position

This is a preview - click here to buy the full publication

1118:
Ventilator, general

1119:
Closed, mechanical


1120:
Opened, mechanical

Single exposure technique

Serial exposure

Cine radiographic exposure

1124:
Optical focussing of camera


1125:
Camera zoom adjustment

1126:
Film movement in direction of arrow

1127:
Take-up magazine

1128:
Feed magazine (for flexible material)


1129:
Recording and play-back

1130:
Film numbering/identification

1131:
Interrupt

1132:
Uncollated copies; stacks

1133:
Collated copies; sets

1134:
Paper-clips

1135:
General symbol for recovery/recyclable

1136:
Sort in stacks

1137:
Photo original

1138:
Remove used master container

1139:
Fan fold for continuous stationary

1140:
Ready

1141A:
Identification light; beacon

1141B:
Identification light; beacon

1142:
Working light

1143:
Telescoping light mast

1144:
Stairs light

1145:
Working spot light for street cleaning and winter service vehicle

1146:
Reversing lamp; back-up lamp

1147:
Hydraulic oil

1148:
Hydraulic fluid

1149:
Connect compressed air coupling; compressed air coupling, engaged

1150:
Disconnect compressed air coupling; compressed air coupling, disengaged

1151:
Limit switch, general

1152:
Battery open

1153:
Electric generator, rotating, general

1154:
Pull switch, switch position pulled; pull to activate

1155:
Pull switch, switch position pushed in; push to deactivate

1156:
Engine; reciprocating internal combustion engine

1157:
Exhaust gate

1161:
Automatic transmission

1162:
Shifted transmission

1163:
Power take-off, off

1164:
Power take-off, on

1165:
Power take-off

1166A:
Transmission

1166B:
Transmission

1167:
Transmission oil-pressure

1168A:
Transmission oil-temperature

1168B:
Transmission oil-temperature

1169:
Transmission oil-filter

1170:
Engine intake air filter; engine combustion air filter

1171:
Hydraulic clutch

1172:
Magnetic clutch

1173:
Brake, general

1174:
Handbrake engaged

1175:
Handbrake disengaged

1176:
Winch

1177:
Platform controlled; operation from working basket

1179:
Alarm with siren; siren, general

1180:
Engine shut-off

1181:
Main panel

1182:
Remote panel

1183:
Lower fork

1184:
Raise fork

1185:
Tilt forward

1186:
Tilt rearward

1187:
Extend reach

1188:
Retract reach

1189:
Side shift to left

1190:
Side shift to right

1191:
Fork spread open

1192:
Fork spread close

1193:
Swing anticlockwise

1194:
Swing clockwise

1195:
Release load stabilizer

1196:
Clamp load stabilizer

1197:
Extend load

1198:
Cabin up

1199:
Cabin down

1200:
Power take-off

1201A:
Power take-off No. 1

1201B:
Power take-off No. 1

1202A:
Power take-off No. 2

1202B:
Power take-off No. 2

1203:
All-wheel drive, 4 x 4

1204:
Flood light; working light

1205:
Body up/down: lift and lower container

1206:
Raising of main jib

1207:
Lowering of main jib

1208:
Straightening of flying jib

1209:
Bending of flying jib

1210:
Clockwise rotation of crane pillar

1211:
Anticlockwise rotation of crane pillar

1212:
Extending of main jib

1213:
Retracting of main jib

1214:
Extending of flying jib

1215:
Retracting of flying jib

1216:
Anticlockwise rotation of load suspending device

1217:
Clockwise rotation of load suspending device

1218:
Straightening/erection of crane pillar

1219:
Lowering/folding down of crane pillar

1220:
Central locking of axle, on; axle centrally locked

1221:
Central locking of

1222:
Stabilizers extended on

1223:
Right stabilizers extended,

1224:
Left stabilizers extended,

1225:
Right front stabilizers

1226:
Left front stabilizers extended

1227:
Left rear stabilizers extended

1228:
Right rear stabilizers

axle, off; axle centrally released

both sides, central support

support right

support left

extended

extended

This is a preview - click here to buy the full publication



1229:
Brush roller pressed



1230:
Brush roller pressure released

1231:
Scattering pattern; spread pattern

1232:
Quantity scattering material; spreading quantity



1233:
Scattering amplitude; spreading width

1234:
Snow plough



1235:
Snow plough down, free motion



1236:
Swing snow plough, free motion

1237:
Disk brush

1238:
Suction pipe prolongation

1239:
Litter recipient; pick-up device for coarse debris

1240:
Sprinkler water; spray water for pick-up device

1241:
Dirt scraper/scratcher

1242:
Lift/lower loading bucket

1243:
Active litter comprehension

1244:
Clear loading bucket

1245:
Active litter sucker

1246:
Elevating platform up

1247:
Elevating platform down

1248:
Boom with 4 mast sections, raising of section 1

1249:
Roller brush

1250:
Vibrator of sweeper

1251:
Dust filter of sweeper



1252:
Litter/pusher

1253:
Boom with 4 mast sections, lowering of section 1



1254:
Boom with 4 mast sections, lowering of section 2

1255:
Boom with 4 mast sections, raising of section 2

1256:
Boom with 3 mast sections, lowering of section 1

1257:
Boom with 3 mast sections, raising of section 1

1258:
Boom with 3 mast sections, lowering of section 2

1259:
Boom with 3 mast sections, raising of section 2

1260:
Boom with 3 mast sections, lowering of section 3

1261:
Boom with 3 mast sections, raising of section 3

1262:
Boom with 4 mast sections, lowering of section 3

1263:
Boom with 4 mast sections, raising of section 3

1264:
Boom with 4 mast sections, lowering of section 4

1265:
Boom with 4 mast sections, raising of section 4

1266:
Extended stabilizers; swinging-out of stabilizer

1267:
Retract stabilizers; swinging-back of stabilizer



1268:
Body up/down

1269:
Boom telescopic adjustment

1270:
Platform up/down

1271:
Boom up/down

1272:
Boom rotation

1273:
Upper boom up/down

1274:
Lower boom up/down

1275:
Boom assay rotation

1276:
Platform swivel movement

1277:
Boom telescopic adjustment up/down

1278:
Stairs extended

1279:
Stairs retracted

1280:
Platform adjustment up/down

1281:
Extended bridge

1282:
Retract bridge

1283:
Bridge up

1284:
Bridge down

1285:
Bridge to left

1286:
Bridge to right

1287:
Canopy out

1288:
Canopy in

1289:
Open roller curtain

1290:
Close roller curtain

1291:
Right stabilizer, down

1292:
Right stabilizer, up

1293:
Extend stabilizers, general

1294:
Retract stabilizers, general

1295:
Retractable power drive unit

1296:
Fixed-height power drive unit

1297:
Belt module up/down

1298:
Left hand guide rail

1299:
Right hand guide rail

1300:
Rear stops

1301:
Portable fire extinguisher

1302:
Movable fire extinguisher

1303:
Bucket sprayer

1304:
Fire extinguisher (powder)

1305:
Fire extinguisher (halogen)

1306:
Fire extinguisher (CO2)

1307:
Fire extinguisher (foam)

1308:
Clutch

1309:
Grease

1310:
Special tools

1311:
Prevent failure

1312:
Lifting jack, hydraulic

1313:
Lifting jack, mechanic

1314:
Centralized lube system for grease, manually operated

1315:
Centralized lube system for oil, manually operated

1316:
Centralized lube system for grease, automatic

1317:
Centralized lube system for oil, automatic; central lubrication

1318:
Dipstick

1319:
Firing order

1320:
Pressurized, open slowly

1321:
Mass

1322:
Water balance for levelling (horizontally)

1323:
Water balance for levelling (vertically)

1324:
Water balance for levelling (vertically and horizontally)

1325:
Rough service/conditions

1326:
Acknowledgement

1327:
Collision protection

1328:
Deceleration at corners

1329:
Laser beam

1330:
Laser head

1331:
Cutting torch

1332:
3-torch bevel head

This is a preview - click here to buy the full publication

1333:
3-torch bevel head, right hand torch only

1334:
3-torch bevel head, left hand torch only


1335:
3-torch bevel head, centre torch only

Plasma torch, mechanical

Preheating

Intense preheating

1339:
Time duration of intense preheating

1340:
Heating and cutting oxygen

1341:
Cutting oxygen


1342:
Piercing, from the middle

1343:
Start of cut from plate edge


1344:
Tool-to-plate separation control


1345:
Constant tool-to-plate separation on plate edge

1346:
Constant tool-to-plate separation on plate corner


1347:
Tracing, photoelectric



1348:
Tracing, photoelectric; drawing document scale 1:1

1349:
Tracing, photoelectric; head orientation

1350:
Tracing, photoelectric; direction of continuous rotation


1351:
Left-hand edge tracing, photoelectric

1352:
Right-hand edge tracing, photoelectric

1353:
Tracing, photoelectric; automatic search for template

1354:
Water muffler


1355:
Clamping outside

1356:
Clamping inside

1357:
Clamping in fixed position

1358:
Tool carriage

1359:
Tool slide

1360:
Vacuum

1361:
Work table

1362:
Work table with water-basin

1363:
Work table with fume suction

1364:
Variability, rotational adjustment

1365:
Start/crank

1366:
Hour meter; elapsed operating hours

1367:
Hand accelerator control; hand throttle

1368:
Lift point

1369:
Filter

1370:
Engine start aid, primer

1371:
Engine failure; engine malfunction

1372:
Engine lubricating oil

1373:
Engine lubricating oil level

1374:
Engine lubricating oil pressure

1375:
Engine lubricating oil temperature

1376:
Engine lubricating oil filter

1377:
Engine coolant

1378:
Engine coolant level

1379:
Engine coolant pressure

1380:
Engine coolant temperature

1381:
Engine intake; combustion air

1382:
Engine intake pressure; combustion air pressure

1383:
Engine intake temperature; combustion air temperature

1384:
Engine exhaust gas

1385:
Engine exhaust gas pressure

1386:
Engine exhaust gas temperature

1387:
Engine start

1388:
Engine stop

1389:
Engine rotational speed (revolutions per minute)

1390:
Heat exchanger; coolant fluid radiator; radiator

1391:
Fuel system failure/malfunction

1392:
Fuel pressure

1393:
Fuel filter

1394:
Fuel temperature

1395A:
Fuel shut-off

1395B:
Fuel shut-off

1396A:
Transmission failure/malfunction

1396B:
Transmission failure/malfunction

1397:
Transmission oil

1398A:
Transmission oil level

1398B:
Transmission oil level

1399:
Brake system

1400:
Brake oil/fluid

1401:
Brake fluid level

1402:
Brake system pressure

1403A:
Brake system temperature; brake temperature

1403B:
Brake system temperature; brake temperature

1404:
Brake system filter

1405:
Brake system, first circuit

1406:
Brake system, second circuit

1407:
Anti-lock brake system, failure

1408:
Worn brake linings

1409:
Hydraulic system

1410:
Hydraulic system failure/malfunction

1411:
Hydraulic oil

1412:
Hydraulic oil level

1413:
Hydraulic oil pressure

1414:
Hydraulic oil temperature

1415:
Hydraulic oil filter

1416:
Front axle drive 4 x 4

1417:
Rear axle drive 4 x 4

1419:
Turn signals, first trailer

1420:
Turn signals, second trailer

1421A:
Interior compartment illumination; interior (dome) light

1421B:
Interior compartment illumination; interior (dome) light

1422:
Windscreen washer fluid; windshield washer fluid

1423:
Rear window washer fluid

1424:
Rear window wiper, intermittent

1425:
Side (lateral) window, demisting/defrosting

1426:
Exterior rear view mirror heating, horizontal type

1427:
Exterior rear view mirror adjustment, horizontal type

1428:
Seat adjustment, longitudinal (fore and aft)

1429:
Seat adjustment, seat back recline

1430:
Seat height adjustment

1431:
Seat height adjustment, cushion front

1432:
Seat height adjustment, cushion rear

This is a preview - click here to buy the full publication

1433:
Seat headrest height adjustment

1434A:
Tyre failure/malfunction

1434B:
Tyre failure/malfunction

Tyre pressure

Control lever operating direction, dual direction

Loader bucket


1438:
Loader bucket, raise

1439:
Loader bucket, lower

1440:
Loader bucket, hold

1441:
Loader bucket, float

1442:
Loader bucket, dump

1443:
Loader bucket, rollback

1445:
Multi-purpose bucket

1446:
Multi-purpose bucket, open

1447:
Multi-purpose bucket, close

1448:
Multi-purpose bucket, hold

1449:
Side dump bucket, dump

1450:
Side dump bucket, return

1451:
Dozer blade

1452:
Dozer blade, raise


1453:
Dozer blade, lower

1454:
Dozer blade, hold


1455:
Dozer blade, float


1456:
Dozer blade, tilt right

1457:
Dozer blade, tilt left

1458:
Dozer blade, angle right

1459:
Dozer blade, angle left

1460:
Dozer blade, pitch rearward

1461:
Dozer blade, pitch forward

1462:
Direct burial plough

1463:
Direct burial plough, raise

1464:
Direct burial plough, lower

1465:
Direct burial plough, hold

1466:
Direct burial plough, pitch in

1467:
Direct burial plough, pitch out

1468:
Excavator/backhoe, hoe equipment

1469:
Excavator/backhoe, boom, lower

1470:
Excavator/backhoe, boom, raise

1471:
Excavator/backhoe, boom, retract

1472:
Excavator/backhoe, boom, extend

1473:
Excavator/backhoe, arm, in

1474:
Excavator/backhoe, arm, out

1475:
Excavator/backhoe, arm, extend

1476:
Excavator/backhoe, arm, retract

1477:
Excavator/backhoe, bucket, dump

1478:
Excavator/backhoe, bucket, dig (rollback)

1479:
Excavator/backhoe, boom, swing right

1480:
Excavator/backhoe, boom, swing left

1481:
Excavator/backhoe, boom, swing lock

1482:
Excavator/backhoe, boom, swing brake

1483:
Excavator/backhoe, boom, side shift left

1484:
Excavator/backhoe, boom, side shift right

1485:
Excavator/backhoe, boom, side shift lock

1486:
Excavator/backhoe, boom, transport lock

1487:
Excavator/shovel, shovel equipment

1488:
Excavator/shovel, boom, lower

1489:
Excavator/shovel, boom, raise

1490:
Excavator/shovel, arm, out

1491:
Excavator/shovel, arm, in

1492:
Excavator/shovel. bucket, dump

1493:
Excavator/shovel, bucket, dig (rollback)

1494:
Clamshell bucket

1495:
Clamshell bucket, open

1496:
Clamshell bucket, close

1497:
Clamshell bucket, rotate clockwise

1498:
Clamshell bucket, rotate anticlockwise

1499:
Grapple

1500:
Grapple, open

1501:
Grapple, close

1502:
Grapple, rotate

1503:
Grader blade

1504:
Grader blade, raise right side

1505:
Grader blade, lower right side

1506:
Grader blade, raise left side

1507:
Grader blade, lower left side

1508:
Grader blade, side shift right

1509:
Grader blade, side shift left

1510:
Grader blade, rotate clockwise

1511:
Grader blade, rotate anticlockwise

1512:
Grader blade circle, shift right

1513:
Grader blade circle, shift left

1514:
Front scarifier

1515:
Front scarifier, raise

1516:
Front scarifier, lower

1517:
Grader wheel lean, lean right

1518:
Grader wheel lean, lean left

1519:
Dumper body, raise

1520:
Dumper body, lower

1521:
Dumper body, hold

1522:
Dumper body, float

1523:
Scraper bowl

1524:
Scraper bowl, raise

1525:
Scraper bowl, lower

1526:
Scraper bowl, hold

1527:
Scraper apron, raise

1528:
Scraper apron, lower

1529:
Scraper apron, hold

1530:
Scraper apron, float

1531:
Scraper ejector, eject

1532:
Scraper ejector, return

1533:
Scraper ejector, hold

1534:
Scraper elevator, load

1535:
Scraper elevator, unload

1536:
Right stabilizer, extend

1537:
Right stabilizer, retract

1538:
Winch, spool in

1539:
Winch, spool out

1540:
Winch, free spool

1541:
Diesel fuel

1542:
Air-cooled oil cooler

1543:
Liquid-cooled oil cooler

1544:
Air-to-air charge air cooler

This is a preview - click here to buy the full publication

1545:
Air-to-water charge air cooler

1546:
Water-to-water heat exchanger (keel cooler)

1547:
Engine-start aid; gas injection

Liquid-cooled oil cooler, oil outlet temperature

Engine-exhaust-gas coolant temperature

Charge air cooler, coolant inlet temperature


1551:
Fuel level


1552:
Pneumatic system pressure

1553:
Pneumatic system, high pressure

1554:
Pneumatic system, low pressure

1555:
Exterior bulb failure

1556:
Instrumental illumination

1557:
Load tipping

1558:
Fifth wheel, longitudinal adjustment


1559:
Axle lifting

1560:
Cab lock

1561:
Winch

1562:
Engine coolant filter

1563:
Volume, empty

1564:
Volume, half full

1565:
Volume, full

1566:
Rockshaft

1567:
Rockshaft, up

1568:
Rockshaft, down

1569:
Remote hydraulic cylinder


1570:
Remote hydraulic cylinder, extend


1571:
Remote hydraulic cylinder, retract

1572:
Power take-off (PTO)

1573:
Chopper

1574:
Threshing cylinder

1575:
Straw walker

1576:
Combine, grain elevator/auger

1577:
Combine, tailings elevator/auger


1578:
Combine, separator drive

1579:
Header; header drive

1580:
Header drive, reverse


1581:
Header height

1582:
Reel; reel drive

1583:
Reel height

1584:
Reel distance

1585:
Concave adjustment

1586:
Sieve adjustment

1587:
Unloader, swing out

1588:
Unloader, swing in

1589:
Unloader drive, discharge

1590:
Cotton picking unit

1591:
Cotton picking unit, up

1592:
Cotton picking unit, down

1593:
Basket

1594:
Forage harvester, spout

1595:
Forage harvester, spout deflector, up

1596:
Forage harvester, spout deflector, down

1597:
Cleaning fan

1598:
Fuel and oil mixture

1599:
Chain-oil fill; oil pump

1600:
Heated handle, temperature control

1601:
Engine, manual start

1603A:
Malfunction, general; failure

1603B:
Malfunction, general; failure

1604:
Intake air

1605:
Exhaust gas

1615:
Sampling

1616:
Fabric away from selvedge feeler/monitor

1617:
Fabric covering selvedge feeler/monitor

1618:
Fabric selvedge position

1619:
Steaming drum/cylinder

1620:
Belt tension monitor

1621:
Pile-raising roll up

1622:
Raise shearing cylinder

1623:
Lower shearing cylinder

1624:
Knitted fabric

1625:
Woven fabric

1626:
Measurement

1627:
Do not intervene; do not operate

1628:
Setting too high

1629:
Setting too low

1630:
Stop valve with diaphragm actuation

1631:
Shut-off butterfly

1632:
Feeler outside measuring range

1633:
Fabric control in end position

1634:
Drum

1635:
Calendering by felt belt (felt calender)

1636:
Calendering by rubber belt (rubber calender)

1637:
Feeler inside measuring range

1638:
Limited overlap of mutual approach

1639:
Cross coil

1640:
Handbook; manual for operations

1641:
Operator's manual; operating instructions

1642:
Read/note marking

1643:
Winding, pile outside

1644:
Winding, pile inside

1645:
Start of shift

1646:
End of shift (shift work)

1647:
Felting against direction of cloth run

1648:
Felting in direction of cloth run

1649:
Guide web with selvedge uncurling

1650:
Guide web with selvedge roll out

1651:
Skip, drive round a machine unit; bypass (going round a unit)

1652:
Run of process

1653:
Regeneration; recovery

1654:
Ionization window open

1655:
Ionization window close

1656:
Lock

1657:
Area worked

1658:
Area worked per hour

1659:
Service indicator; read technical manual

1660:
Rockshaft, float

1661:
Remote hydraulic cylinder, float

1662:
Differential lock

1663:
Tractor, front-wheel drive

1664:
Power take-off (PTO), rotational speed

1665:
Tractor, wheel slip

This is a preview - click here to buy the full publication


1666:
Tractor, direction of movement, forward (side view of machine)


1667:
Tractor, direction of movement, rearward (side view of machine)

1668:
Header, float

Reel, move forward

Reel, move rearward

Reel speed

1672:
Unloader

1673:
Basket, dump

1674:
Basket, return/carry

1675:
Forage harvester, spout rotation, left

1676:
Forage harvester, spout rotation, right

1677:
Magnetic metal detector

1678:
Combine, direction of movement, forward (side view of machine)

1679:
Combine, direction of movement, rearward (side view of machine)


1680:
Control lever working movement in two directions


1681:
Movement in two directions: left-right


1682:
Load-lifting attachment, lift


1683:
Load-lifting attachment, lower


1684:
Derrick in; luff in

1685:
Derrick out; luff out

1686:
Telescopic jib (boom) extended

1687:
Telescopic jib (boom) retracted


1688:
Crab traversing: forward-reverse

1689:
Crane travelling forward

1690:
Crane travelling in reverse

1691:
Crane travelling forward-reverse

1692:
Climbing crane, climb

1693:
Climbing crane, descend

1694:
Load magnet on

1695:
Load magnet off

1696:
Rail clamp engaged

1697:
Rail clamp disengaged

1698:
Wind speed

1699:
Wind direction

1700:
Spotlight

1701:
Pressure

1702:
Seatbelt, lap belt only

1703:
Control lever operating direction, multiple directions

1704:
Engine, electrical preheat (low temperature start aid)

1705:
Seat (side view)

1706:
Seat height adjustment, up

1707:
Seat height adjustment, down

1709:
Tree harvester/feller buncher, boom/arm movement

1710:
Tree harvester/feller buncher, arm, raise

1711:
Tree harvester/feller buncher, arm, lower

1712:
Tree harvester/feller buncher, boom swing

1713:
Tree harvester/feller buncher, boom, swing left

1714:
Tree harvester/feller buncher, boom, swing right

1715:
Fixed boom felling head, turn left

1716:
Fixed boom felling head, turn right

1717:
Felling head

1718:
Felling head, tilt up

1719:
Felling head, tilt down

1720:
Felling head, side tilt left/clockwise

1721:
Felling head, side tilt right/anticlockwise

1722:
Felling shear

1723:
Felling shear, open

1724:
Felling shear, close

1725:
Bunk jaws/grab arms

1726:
Bunk jaws/grab arms, open

1727:
Bunk jaws/grab arms, close

1728:
Bunk jaws/grab arms, left jaw/arm, out

1729:
Bunk jaws/grab arms, left jaw/arm, in

1730:
Bunk jaws/grab arms, right jaw/arm, out

1731:
Bunk jaws/grab arms, right jaw/arm, in

1732:
Bunk jaws/grab arms, ropes, tighten

1733:
Bunk jaws/grab arms, ropes, slacken

1734:
Log accumulator

1735:
Log accumulator, open

1736:
Log accumulator, close

1737:
Log feeder

1738:
Log feeder, open

1739:
Log feeder, close

1740:
Log feeder, feed in

1741:
Log feeder, feed out

1742:
Log feeder, stop/lock

1743:
Log clamp

1744:
Log clamp, open

1745:
Log clamp, close

1746:
Log clamp, hold

1747:
Log grapple

1748:
Log grapple, open

1749:
Log grapple, close

1750:
Log grapple, rotate

1751:
Log grapple, rotate clockwise

1752:
Log grapple, rotate anticlockwise

1753:
Topping knife

1754:
Topping knife, open

1755:
Topping knife, close

1756:
Circular saw

1757:
Circular saw, out

1758:
Circular saw, in

1759:
Chain saw

1760:
Chain saw, out

1761:
Chain saw, in

1762:
Grapple skidder, single function boom

1763:
Grapple skidder, single function boom, up/in

1764:
Grapple skidder, single function boom, down/out

1765:
Grapple skidder, double function boom

1766:
Grapple skidder, double function boom, out

1767:
Grapple skidder, double function boom, in

1768:
Grapple skidder, double function boom, up

1769:
Grapple skidder, double function boom, down

1770:
Log loader, pillar, raise

This is a preview - click here to buy the full publication

1771:
Log loader, pillar, lower

1772:
Log loader, pillar, rotate clockwise

1773:
Log loader, pillar, rotate anticlockwise

Log loader, arm, raise

Log loader, arm, lower

Log loader, arm, extend

1777:
Log loader, arm, retract


1778:
Log loader, jib, extend


1779:
Log loader, jib, lower


1780:
Log loader, jib, raise

1781:
Log loader, jib, retract

1782:
Log loader equipment


1783:
Loadgate


1784:
Loadgate, down


1785:
Loadgate, up


1786:
Side view of rotor (vertical axis)

1787:
Unbalance (rotor side view)

1788:
Correction plane in a rotor

1789:
Unbalance (rotor end view)

1790:
Compensation (arrows directed inwards)


1791:
Component indication

1792:
Polar indication

1793:
Indexing

1794:
Angle of unbalance

1795:
Position 1... 2...

1796:
Add material

1797:
Remove material

1798:
Stroboscopic lamp

1799:
Sine wave angle reference generator

1800:
Square wave angle reference generator

1801:
Bearing vibrations

1802:
Static unbalance

1803:
Couple unbalance

1804:
Dynamic unbalance

1805:
Hydrocolloid connector

1806:
Spittoon with water circulation

1807:
Dental patient chair, up

1808:
Dental patient chair, down

1809:
Dental patient chair, tilt backward

1810:
Dental patient chair, tilt forward

1811:
Dental patient chair, headrest, back

1812:
Dental patient chair, headrest, up

1813:
Dental patient chair, backward

1814:
Dental patient chair, forward

1815:
Dental patient chair, backrest, back

1816:
Dental patient chair, backrest, up

1817:
Dental patient support, up

1818:
Dental patient support, down

1819:
Dental patient chair, general

1820:
Dental patient chair, rotation

1821:
Dental operator's stool

1822:
Dental operating light

1823:
Dental unit

1824:
Assistant's unit

1825:
Spittoon; cuspidor

1826:
Spittoon with water fountain

1827:
Sink cabinet

1828:
Dental cabinet

1829:
Saliva ejector

1830:
Saliva ejector with hand-controlled valve

1831:
Suction handpiece

1832:
Suction handpiece with hand-controlled valve

1833:
Electro-surgical handpiece

1834:
Pulp-tester

1835:
Ultrasonic scaler

1836:
Fibre-optic handpiece

1837:
Multifunction syringe (air-water)

1838:
Dental air motor

1839:
Dental air motor with illumination

1840:
Dental low voltage electric motor

1841:
Dental low voltage electric motor with illumination

1842:
Dental turbine with illumination

1843:
Dental turbine

1844:
Sterilizable up to the temperature specified

1845:
U-trap

1846:
Dental patient footrest, up

1847:
Dental patient footrest, down

1848:
Dental patient chair, automatic set

1849:
Dental patient chair, automatic re-set

1850:
Liquid level control

1851:
Chemical water treatment

1852:
Hand-controlled valve

1853:
Foot-operated

1854:
Cup-filler

1855:
Bowl flush

1856:
Water-cooling

1857:
Air-cooling

1858:
Spray-cooling

1859:
Decimal separator

1860A:
Ventilation air flow, defrost and lower air outlet

1860B:
Ventilation air flow, defrost and lower air outlet

1861:
Level 2 select

1862:
Group lock

1863:
Tabulation left

1864:
Tabulation right

1865:
Ventilation air flow, upper air outlet

1866:
Ventilation air flow, lower air outlet

1867:
Ventilation air flow, upper air outlet and lower air outlet

1937:
Remote station, ready

1938:
Remote station, stand-by

1939:
Remote station out of order, disturbance at remote station

1940:
Acknowledgement of remote station positive

1941:
Acknowledgement of remote station negative

1942:
Test run

1943:
Variable speed

1944:
Insert paper

1945:
Remove copy/paper

1946:
Memory/text storage full

1947:
Add/load diskette

1948:
Add/load cassette

1949:
Telephone disconnected

1950:
Call operator of remote

station

This is a preview - click here to buy the full publication

1951:
No operator response from remote station

1952:
Document face up

1953:
Document face down

1954:
Exposure adjustment

1955:
I am

1956:
Who are you?

1957:
Interactive videotext deactivated

1958:
Temporarily inactive attributes, disable attributes

1959:
Reveal

1960:
Billing information

1961:
Message service

1962:
End of data entry; data collection terminator

1963:
Initiator

1964:
Terminator

1965:
Transmit page/document

1966:
Receive page/document


1967:
Sheet injection into a determined position

1968:
Sheet ejection

1969:
Transmission sequence not completed

1970:
Paper carrier open

1971:
Paper carrier closed

1972:
Constant input


1973:
Constant recall

1974:
Internal transfer of text

1975:
Grid density, low

1976:
Grid density, normal

1977:
Grid density, high

1978:
Halftone/grey tone

1979:
Pressure adjustment

1980:
Inking adjustment

1981:
Cutting adjustment

1982:
Address master transport, no print

1983:
Address master print and transport

1984:
Address master print, no transport

1985:
Repeat printing from one address master

1986:
Address master fault

1987:
Address master, grouper control

1988:
Paper bin empty/empty bin available

1989:
No magazine/bin in position

1990:
Advertisement imprint

1991:
Omit advertisement

1992:
Date imprint

1993:
Omit date imprint

1994:
Check date imprint

1995:
Ink prime

1996:
Select

1997:
Postage meter/franking

1998:
Imprint tape

1999:
Envelope sealing

2000:
Envelope flap opening

2001:
Short envelope

2002:
Long envelope

2003:
Trim adjustment (letter opening)

2004:
Standard double fold

2005:
Double fold

2006:
Accordion fold

2007:
Cross fold

2008:
Start moistening

2009:
Stop moistening

2010:
Level 2 lock

2011:
Capitals lock

2012:
Numeric lock

2013:
Level 3 select

2014:
Level 3 lock

2015:
Space

2016:
Nonbreaking space

2017:
Insert

2018:
Continuous underline

2019:
Discontinuous underline

2020:
Emphasize

2021:
Compose character

2022:
Centre

2023:
Backward erase

2024:
Clear screen

2025:
Scrolling

2026:
Help

2027:
Print screen; hard copy

2028:
Control

2029:
Escape

2030:
Monitoring

2031:
Beginning (home)

2032:
End

2033:
Previous page

2034:
Next page

2035:
Line up

2036:
Line down

2037:
Backspace

2038:
Partial line up

2039:
Partial line down

2040:
Partial space left

2041:
Partial space right

2042:
Set margin left

2043:
Set margin right

2044:
Release margin left

2045:
Release margin right

2046:
Release margins right and left

2047:
Cruise control

2048:
Traction control

2049:
Tree harvester/feller buncher, boom, lower

2050:
Tree harvester/feller buncher, boom, raise

2051:
Delimber, sliding boom

2052:
Delimber, sliding boom, out

2053:
Delimber, butt plate

2054:
Delimber, sliding boom, in

2055:
Delimber, butt plate, up

2056:
Delimber, butt plate, down

2057:
Delimber, fixed jaw

2058:
Delimber, fixed jaw, open

2059:
Delimber, fixed jaw, close

2060:
Delimber, mobile jaw

2061:
Delimber, mobile jaw, open

2062:
Delimber, mobile jaw, close

This is a preview - click here to buy the full publication

2063:
Battery disconnect; battery shut-off

2064:
Steering wheel, tilt control

2068:
Dehumidifier

Tie down point

Winch, lock

Winch, brake

2072:
Stabilizer


2073:
Left stabilizer, up

2074:
Left stabilizer, down

2075:
Left stabilizer, extend

2076:
Left stabilizer, retract


2077:
Outrigger


2078:
Outrigger, left beam out, horizontal extension only


2079:
Outrigger, left beam in, horizontal retraction only


2080:
Outrigger, left jack down, vertical extension only


2081:
Outrigger, left jack up, vertical retraction only

2082:
Clamshell bucket, rotate

2083:
Grapple, rotate clockwise

2084:
Grapple, rotate anticlockwise

2085:
Grader blade, raise whole blade

2086:
Grader blade, lower whole blade

2087:
Scraper apron

2088:
Scraper ejector

2089:
Scraper elevator

2090:
Excavator/backhoe, boom swing

2091:
Excavator/backhoe, boom side shift

2092:
Side dump bucket

2093:
Side dump bucket, hold

2094:
Dumper body

2095:
Front scarifier

2096:
Ground-engaging equipment, ripper/scarifier

2097:
Ground-engaging equipment, ripper/scarifier, raise


2098:
Ground-engaging equipment, ripper/scarifier, lower

2099:
Ground-engaging equipment, ripper/scarifier, hold

2100:
Rear scarifier

2101:
Rear scarifier, raise

2102:
Rear scarifier, lower

2103:
Rear scarifier, hold

2104:
Moving machine alarm; rearward moving vehicle alarm

2105:
Alternate


2106:
Undo

2107:
Turbo

2108:
Airbag

2109:
Grass-cutting equipment, cutting element, engage

2110:
Grass-cutting equipment, cutting element, disengage

2111:
Grass-cutting equipment, cylinder reverse drive, engage

2112:
Grass-cutting equipment, cylinder reverse drive, disengage

2113:
Grass-cutting equipment, cylinder on-cut adjustment

2114:
Grass-cutting equipment, cutting unit


2115:
Grass-cutting equipment, cutting unit, raise


2116:
Grass-cutting equipment, cutting unit, lower


2117:
Grass-cutting equipment, cutting unit, hold

2118:
Grass-cutting equipment, cutting unit, float

2119:
Grass-cutting equipment, cutting unit, transport position

2120:
Grass-cutting equipment, cutting unit, raise to transport position

2121:
Grass-cutting equipment, cutting unit, lower from transport position

2122:
Tiller tines

2123:
Snow thrower, impeller

2124:
Snow thrower, collector auger

2125:
Snow thrower, discharge-chute height adjustment, up

2126:
Snow thrower, discharge-chute height adjustment, down

2127:
Snow thrower, discharge chute, rotate left

2128:
Snow thrower, discharge chute, rotate right


2129:
Wheel adjustment, left wheel, move out


2130:
Wheel adjustment, left wheel, move in


2131:
Wheel adjustment, right wheel, move out

2132:
Wheel adjustment, right wheel, move in

2133:
Tractor (side view of machine)


2134:
Tractor (overhead view of machine)


2135:
Tractor, direction of movement, forward (overhead view of machine)


2136:
Tractor, direction of movement, rearward (overhead view of machine)

2137:
Tractor, auxiliary headlights

2138:
Combine (side view of machine)

2139:
Combine (overhead view of machine)

2140:
Combine, direction of movement, forward (overhead view of machine)


2141:
Combine, direction of movement, rearward (overhead view of machine)

2142:
Header height, raise


2143:
Header height, lower

2144:
Auger conveyor

2145:
Sidehill machine

2146:
Sidehill machine, level left side

2147:
Sidehill machine, level right side


2148:
Grain tank

2149:
Cotton harvester (side view of machine)

2150:
Cotton harvester, direction of movement, forward (side view of machine)

2151:
Cotton harvester, direction of movement, rearward (side view of machine)

2152:
Basket extend

2153:
Cleaner feed

2154:
Cleaner saw

2155:
Cotton chamber/door

2156:
Spindle drum

2157:
Self-propelled forage harvester (side view of machine)


2158:
Self-propelled forage harvester, direction of movement, forward (side view of machine)

2159:
Self-propelled forage harvester, direction of movement, rearward (side view of machine)

2160:
Forage harvester, cutterhead

2161:
Loader bucket, extend

This is a preview - click here to buy the full publication

2162:
Loader bucket, retract


2164:
Variability, for rotating movement, variability in steps

2165:
Light

Dark

Save entered data

Digital counter

2169:
Worn clutch

2170:
Seat (overhead view)

2171:
Seat, lumbar adjustment, in and out

2172:
Seat, fore and aft isolator/attenuator

2173:
Seat, lateral isolator/attenuator

2174:
Seat, swivel

2175:
Seat, weight adjustment

2176:
Tyre

2177:
Work distance travelled

2178:
Rockshaft, upper limit


2179:
Tractor ground speed

2180:
Tractor with front PTO (side view of machine)

2181:
Tractor with rear PTO (side view of machine)

2182:
Tractor with front PTO (overhead view of machine)

2183:
Tractor with rear PTO (overhead view of machine)


2184:
Tractor with towed implement, implement width

2185:
Header, lateral tilt

2186:
Header, lateral tilt, left

2187:
Header, lateral tilt, right

2188:
Combine, powered rear wheels

2189:
Separator-drive oil

2190:
Separator-drive oil pressure

2191:
Separator-drive oil filter

2192:
Separator-drive oil temperature

2193:
Combine, beater

2194:
Cotton harvester, brush rolls

2195:
Combine, restricted crop flow

2196:
Combine ground speed


2197:
Cotton harvester ground speed

2198:
Self-propelled forage harvester ground speed

2199:
Forage harvester, cutterhead speed

2200:
Loader bucket grapple

2201:
Loader bucket grapple, open

2202:
Loader bucket grapple, close

2203:
Self-propelled sprayer (side view of machine)

2204:
Self-propelled sprayer, direction of movement, forward (side view of machine)

2205:
Self-propelled sprayer, direction of movement, rearward (side view of machine)

2206:
Self-propelled sprayer, centre frame

2207:
Self-propelled sprayer, centre frame, raise

2208:
Self-propelled sprayer, centre frame, lower

2209:
Sprayer, left boom, raise

2210:
Sprayer, left boom, lower

2211:
Sprayer, right boom, raise

2212:
Sprayer, right boom, lower

2213:
Spray solution tank

2214:
Spray solution tank, pressure

2215:
Spray solution tank, level

2216:
Spray solution pump

2217:
Spray solution pump, pressure

2218:
Agricultural sprayer, nozzle on

2219:
Agricultural sprayer, nozzle off

2220:
Telescoping jib (boom), luffing up (raise)

2221:
Telescoping jib (boom), luffing down (lower)

2222:
Telescoping jib (boom), hoist load

2223:
Telescoping jib (boom), lower load

2224:
Telescoping jib (boom), extend telescope

2225:
Telescoping jib (boom), retract telescope

2226:
Telescoping jib (boom), slew left

2227:
Telescoping jib (boom), slew right

2228:
Telescoping jib (boom), slew lock

2229:
Telescoping jib (boom), slew brake

2230:
Fixed length jib (boom), luffing up (raise)

2231:
Fixed length jib (boom), luffing down (lower)

2232:
Fixed length jib (boom), hoist load

2233:
Fixed length jib (boom), lower load

2234:
Fixed length jib (boom), slew left

2235:
Fixed length jib (boom), slew right

2236:
Fixed length jib (boom), slew lock

2237:
Fixed length jib (boom), slew brake

2238:
Four-wheel steering

2239:
Door(s) ajar

2240:
Rearward-moving-vehicle alarm, cancel

2241:
Radar sensor

2242:
Seat, ride-damping adjustment

2243:
Grader blade (side view)

2244:
Grader blade, pitch forward

2245:
Grader blade, pitch rearward

2246:
Articulated grader (overhead view of machine)

2247:
Articulated grader, steer left

2248:
Articulated grader, steer right

2249:
Excavator/backhoe, offset boom, swing left

2250:
Excavator/backhoe, offset boom, swing right

2251:
Ground-engaging equipment, ripper/scarifier, float

2252:
Ground-engaging equipment, ripper/scarifier, pitch in

2253:
Ground-engaging equipment, ripper/scarifier, pitch out

2254:
Trencher, digging boom

2255:
Trencher, digging boom, raise

2256:
Trencher, digging boom, lower

2257:
Trencher, digging chain, forward rotation

2258:
Trencher, digging chain, reverse rotation

2259:
Trencher, digging chain, disengage

2260:
Trencher, side shift

2261:
Trencher, side shift left

2262:
Trencher, side shift right

2263:
Trencher, side shift lock

2264:
Trencher, trench cleaner

2265:
Trencher, trench cleaner, raise

2266:
Trencher, trench cleaner, lower

This is a preview - click here to buy the full publication


2267:
Trencher conveyor

2268:
Trencher conveyor, side shift out


2269:
Trencher conveyor, side shift in

Trencher conveyor, left rotation

Trencher conveyor, right rotation

Disc trencher

2273:
Disc trencher, raise


2274:
Disc trencher, lower

2275:
Disc trencher, forward rotation

2276:
Disc trencher, rearward rotation

2277:
Disc trencher, disengage

2278:
Disc trencher, stabilizer

2279:
Disc trencher, stabilizer, raise

2280:
Disc trencher, stabilizer, lower

2281:
Disc trencher, trench cleaner

2282:
Disc trencher, trench cleaner, raise

2283:
Disc trencher, trench cleaner, lower

2284:
Direct burial plough, vertical float

2285:
Direct burial plough, vibrator, engage

2286:
Direct burial plough, vibrator, disengage

2287:
Direct burial plough, swing

2288:
Direct burial plough, swing left

2289:
Direct burial plough, swing right

2290:
Direct burial plough, swing lateral float

2291:
Direct burial plough, plough blade, steer left

2292:
Direct burial plough, plough blade, steer right

2293:
Reel carrier, raise

2294:
Reel carrier, lower

2295:
Cursor left

2296:
Cursor up

2297:
Cursor down

2298:
Fast cursor left

2299:
Fast cursor up

2300:
Fast cursor down

2301:
Urgent alert indicator

2302:
Electrical power, accessories

2303:
Engine run

2304:
Reverse/back-up lights

2305:
Steering system

2306:
Steering system filter

2307:
Steering system failure/malfunction

2308:
Engine rotational speed, instantaneous decrease

2309:
Engine rotational speed, automatic decrease

2310:
Roadway travel mode

2338:
Clamp, release

2339:
Elevating operator position, lower

2340:
Elevating operator position, raise

2341:
Lateral stacking truck, mechanism side shift left

2342:
Lateral stacking truck, mechanism side shift right

2343:
Lateral stacking truck, mechanism rotate left

2344:
Lateral stacking truck, mechanism rotate right

2345:
Load rotate anticlockwise

2346:
Load rotate clockwise

2347:
Piggyback arms, unclamp

2348:
Piggyback arms, clamp

2349:
Piggyback arms, fold up

2350:
Piggyback arms, fold down

2351:
Piggyback arms, block-stacking in

2352:
Piggyback arms, block-stacking out

2353:
Piggyback rotation limit, override

2354:
Sideloader platform, tilt up (forward)

2355:
Sideloader platform, tilt down (back)

2356:
Push/pull attachment, pull

2357:
Upender, rotate forward

2358:
Upender, rotate backward

2359:
Container-handling side-lift attachment, extend laterally

2360:
Container-handling side-lift attachment, extend vertically

2361:
Container-handling side-lift attachment, retract laterally

2362:
Container-handling side-lift attachment, retract vertically

2363:
Container-handling side-lift attachment, rotate clockwise

2364:
Container-handling side-lift attachment, rotate anticlockwise

2365:
Container-handling side-lift attachment, side-shift left

2366:
Container-handling side-lift attachment, side-shift right

2367:
Container-handling side-lift attachment, slew anticlockwise

2368:
Container-handling side-lift attachment, slew clockwise

2369:
Twist lock, unlock

2370:
Twist lock, lock

2371:
Twist lock, located

2372:
Top lift, extend laterally

2373:
Top lift, reach out

2374:
Top lift, reach in

2375:
Top lift, retract laterally

2376:
Top lift, side-shift left

2377:
Top lift, side-shift right

2378:
Top lift side-tilt, left hand side up

2379:
Top lift side-tilt, right hand side up

2380:
Top lift slew, clockwise

2381:
Top lift slew, anticlockwise

2382:
Sideloader cab, traverse left

2383:
Sideloader cab, traverse right

2384:
Engine water-jacket, heater

2385:
Cab roof, demisting and defrosting

2386:
Cab roof, washer

2387:
Cab roof, wiper

2388:
Cab roof, wiper and washer

2389:
Sway control/levelling, anticlockwise

2390:
Sway control/levelling, clockwise

2391:
Industrial truck, two-wheel steering, front

2392:
Industrial truck, two-wheel steering, rear

2393:
Industrial truck, all-wheel or four-wheel steering

2394:
Industrial truck, crab steering

2395:
Engine air-filter pressure

2396:
Lift-arm reach, extend limited

2397:
Lift-arm lift, limited movement

This is a preview - click here to buy the full publication


2398:
Side shift, centralize

2399:
Engine, maintain soon

2400:
Circuit breaker

Protect from radioactive sources

Do not stack

Stacking limit by number

2404:
Do not clamp as indicated

2405:
Do not roll

2406:
Use no forks

2407:
Protection against electromagnetic fields

2408:
Fork arm extension, extend

2409:
Fork arm extension, retract

2410:
Protection

2411:
Protection against moving parts

2412:
Protection against cold

2413:
Protection against foul weather

2414:
Protection against chemicals

2415:
Protection against static electricity

2416:
Protection against chain saw

2417:
Protection against heat and flame

2418:
Protective equipment for fire fighters

2419:
High visibility clothing

2420:
Tractor, front-wheel drive, automatic operation

2421:
Tractor, front-wheel drive, braking

2422:
Road vehicle, engine heating

2423:
Road vehicle, engine failure/malfunction

2424:
Road vehicle, electronic diesel control

2425:
Road vehicle, engine start


2426:
Road vehicle, engine oil temperature

2427:
Road vehicle, engine oil level

2428:
Road vehicle, engine oil filter

2429:
Road vehicle, engine coolant level

2430:
Road vehicle, engine coolant heating

2431:
Road vehicle, engine coolant fan

2432:
Road vehicle, engine inlet air filter

2433:
Engine emission system filter; diesel particulate filter; diesel particulate filter, regeneration

2434:
Road vehicle, engine inlet air preheat

2435:
Transmission converter temperature

2436:
Transmission converter fluid level

2437:
Transmission converter failure

2438:
Axle fluid level

2439:
Axle failure

2440:
Steering fluid level

2441:
Steering failure (front view)

2442:
Steering, circuit one (front view)

2443:
Steering, circuit two (front view)

2444:
Anti-lock brake system, first trailer

2445:
Anti-lock brake system, second trailer

2446:
Anti-lock brake system, first trailer not equipped

2447:
Anti-lock brake system, second trailer not equipped

2448:
Spring brake release

2449:
Exhaust-gas brake

2450:
Tyre temperature

2451:
Road vehicle, fuel temperature

2452:
Road vehicle, fuel filter

2453:
Fuel heating

2454:
Road vehicle, fuel system failure

2455:
Battery fluid level

2456:
Battery failure

2457:
Loading light

2458:
Elevated headlights

2459:
Roof sign illumination

2460:
Road vehicle -- snowplough, truck

2461:
Height control, truck

2462:
Front height control, truck

2463:
Rear height control, truck

2464:
Diverging flap release

2465:
Fifth wheel height adjustment

2466:
Roof ventilation, truck

2467:
Load tipping, trailer

2468:
Diverging flap release, trailer

2469:
Exterior rear view mirror adjustment, vertical type

2470:
Exterior rear view mirror heating, vertical type

2471:
All-wheel drive 6 x 6

2472:
Rear-axle drive 6 x 6

2473:
Front-axle drive 6 x 6

2474:
Differential lock, rear axle 4 x 4

2475:
Differential lock, transfer case 4 x 4

2476:
Differential lock, front axle 4 x 4

2477:
Differential lock, rear axles, truck

2478:
Differential lock, front axle 6 x 6

2479:
Inter-axle lock, rearmost axles

2480:
Differential lock, transfer case 6 x 6

2481:
Inter-axle lock 6 x 6

2482:
Protective equipment for abrasive blasting operators

2483:
Protection against cuts and stabs

2484:
Protection against particulate radioactive contamination

2485:
Fresh air

2486:
Recirculated air

2487:
Fresh air, truck

2488:
Recirculated air, truck

2489:
LPG fuel; liquefied petroleum gas

2490:
Protection against mechanical hazards

2491:
Protection against micro-organism hazards

2492:
Batch code

2493:
Catalogue number

2494:
Control

2495:
Negative control

2496:
Positive control

2497:
Date of manufacture

2498:
Serial number

2499:
Sterile

2500:
Sterilized using aseptic processing techniques

2501:
Sterilized using ethylene oxide

This is a preview - click here to buy the full publication

2502:
Sterilized using irradiation

2503:
Sterilized using steam or dry heat

2550:
Interior directed illumination (reading/map light)

Taxi sign light



Medical assistance sign light

Power folding exterior mirror, horizontal type

2554:
Sunshade

2555:
Rear window lift, power-operated

2556:
Ventilated seat

2557:
Convertible top

2558:
Driver airbag off or not available

2559:
Passenger airbag

2560:
Passenger airbag off or not available

2561:
Side impact airbag

2562:
Child seat

2563:
Power window lock (disable)

2564:
Motion sensor

2565:
Emergency first aid vehicle

2566:
Tow truck

2567:
Fuse box access

2569:
Passenger car (side view)

2570:
Truck/bus (front view)

2571:
Front external open step, platform or lid

2572:
Side external open step, platform or lid

2573:
Jack

2574:
Retarder

2575:
Windscreen (windshield), electrically heated

2576:
Road vehicle, passenger compartment air filter

2577:
Ventilation closed

2578:
Secondary interior heating

2579:
Traction control off or not available

2580:
Adaptive cruise control

2581:
Adaptive cruise control failure

2582:
Parking aid

2583:
Cupholder

2584:
Power folding exterior mirror, vertical type

2585:
Motion sensor off or not available

2586:
Stacker blade

2587:
Stacker blade, lower

2588:
Stacker blade, raise

2589:
Choke, open

2590:
Choke, closed

2591:
Decompression valve

2592:
Output shaft, speed

2593:
Exhaust gas brake

2594:
Ventilation open

2595:
Trailer towing mode

2596A:
Engine emission system, failure or malfunction

2596B:
Engine emission system, failure or malfunction

2597:
Moisture in fuel system

2598:
Secondary interior heating fuel level

2599:
Differential lock, one drive axle

2600:
Inter-axle lock

2601:
Panic alarm system

2602:
Double lock

2603:
Immobilizer, theft prevention

2604:
Child lock, unlocked

2605:
Child lock, locked

2606:
Do not use if package is damaged

2607:
Use by date

2608:
Do not resterilize

2609:
Non-sterile

2610:
Patient number

2611:
Daytime running lights

2612:
Roof ventilation, passenger car

2614:
Icy road conditions

2615:
Road vehicles, transmission fluid filter

2616:
External cord connected

2617:
Passenger car (rear view)

2618:
Protective equipment for motorcycle riders

2619:
Protection against cuts

2620:
Humidity limitation

2621:
Atmospheric pressure limitation

2622:
Retarder failure

2623:
Anti-lock brake system, off or not available

2624:
Hill-holding system for truck

2625:
Pedal adjustment

2626:
Air-conditioning, off or not available

2627:
Active seat

2628:
Fuel cap unfastened

2630:
Road vehicle stability-control system

2631:
Traction control failure

2632:
State of charge, propulsion battery

2633:
Electric motor failure

2634:
Robson drive

2635:
Destination home

2636:
Protective roll bar

2637:
Excavator/backhoe, power boost

2638:
Excavator/backhoe, work mode selector

2639:
Limited performance mode

2640:
North indicator

2641:
Fuel type

2642:
Hydraulic cylinder, lock

2643:
Hydraulic cylinder, unlock

2644:
Wind draught deflector

2645:
Height control

2646:
Turbocharger temperature, road vehicles

2647:
Transmission system pressure, road vehicles

2648:
Hill descent control

2649:
Stability off or not available

2650:
Rear lift-glass

2651:
Rear lift-gate

2652:
Sliding door

2653:
Propulsion battery failure

This is a preview - click here to buy the full publication

2654:
Electric motor enabled


2655:
Re-use prevention


2656:
Dry toner

Grid density, maximum, maximum resolution

Simultaneous transmission

Suitable for use on electric cooker with induction plate in glass ceramic

2660:
Suitable for use on electric cooker with radiant ring


2661:
Suitable for use on electric cooker with solid hob

2662:
Suitable for use on electric cooker with radiant plate in glass ceramic

2663:
Suitable for use on gas

2664:
Turn signal, trailer, road vehicles

2665:
Night vision

2666:
Footwell illumination

2667:
Low-level interior illumination (night driving)

2668:
Sleeper compartment illumination


2669:
Bend lighting

2670:
Anti-lock brake system (ABS), trailer

2671:
Anti-lock brake system (ABS), trailer, off or not available

2672:
Trailer brake

2673:
Glare prevention exterior mirror, vertical

2674:
Glare prevention exterior mirror, horizontal

2675:
Sleeper compartment air circulation

2676:
Refrigerator

2677:
Body/cargo heater

2679:
Engine status information, road vehicles

2680:
Steering wheel lock

2681:
Forward collision warning system (FCWS)

2682:
Lane departure warning system (LDWS)

2683:
Protection against welding hazards

2684:
Manual activation control

2685:
Fire alarm

2686:
Tow point


2687:
Rope/cable, breaking


2688:
Rope/cable, slack

2689:
High torque; high force


2690:
Wheels in straight position


2691:
Direction of travel, forward or rearward


2692:
Mobile elevating work platform, boom slewing


2693:
Mobile elevating work platform, boom lock


2694:
Mobile elevating work platform on level surface

2695:
Mobile elevating work platform on rough terrain

2696:
Mobile elevating work platform on slope

2697:
Back-up or emergency pump, electrically powered

2698:
Back-up or emergency pump, manually powered

2699:
Steer

2700:
Additive solution

2701:
Anticoagulant

2702:
Anticoagulant solution

2703:
Blood or blood component container

2704:
Buffy coat

2705:
Buffy coat container

2706:
Processing

2707:
Plasma

2708:
Plasma container

2709:
Platelets concentrate

2710:
Platelets container

2711:
Processing container

2712:
Red blood cell concentrate

2713:
Red blood cell container

2714:
Saline solution

2715:
Sampling site

2716:
Pathogen reduced

2717:
Pathogen reduced processing

2718:
Whole blood

2719:
Whole blood container

2720:
Leukocyte filtered

2721:
Leukocyte filtration

2722:
Fluid path

2723:
Non-pyrogenic fluid path

2724:
Non-pyrogenic

2725:
Contains or presence of

2726:
Drops per milliliter

2727:
Liquid filter with pore size

2728:
One-way valve

2729:
Machine or system module or unit, general

2730:
Device, external, general

2731:
Web, printing

2732:
Coatings, varnish

2733:
Glue

2734:
Washing solution

2735:
Test, general

2736:
Zone, general

2737:
Register

2738:
Knife

2739:
Strap

2740:
Synchronize

2741:
Default font

2742:
Cut

2743:
Two-knife trimming/cutting

2744:
Push product

2745:
Push product, automatic cycle

2746:
Offset stack

2747:
Sheet overlap/shingle

2748:
Printing unit

2749:
Counter, preset

2750:
Counter, reset

2751:
Web dimension, substrate thickness

2752:
Web dimension, width

2753:
Double needle apheresis protocol

2754:
Single needle apheresis protocol

2755:
Rope reeve - Single fall

2756:
Rope reeve - Two falls

2757:
Rope reeve - Four falls

2758:
Crane trolley

This is a preview - click here to buy the full publication

2759:
Crane base - rail mounted

2760:
Product information; Information point


2761:
Slewing in both directions unlocked (Jib weathervaning)

Tower cranes assembled from component parts

Self-erecting cranes

Limit override - in two directions


2765:
Limit override - in one direction



2766:
Turning moment limiting device for tower cranes assembled from component parts - moment value

2767:
Turning moment limiting device for self erecting cranes - moment value

2768:
Load limiting device - load value

2769:
Crane base-rail mounted, travel limit device; one direction

2770:
Crane base-rail mounted, travel limit device; two directions

2771:
Slew limit device - clockwise

2772:
Slew limit device - anticlockwise

2773:
Upper luffing limit device

2774:
Lower luffing limit device

2775:
Upper luffing limit override device

2776:
Lower luffing limit override device


2777:
Upper hoist limit device


2778:
Lower hoist limit device


2779:
Upper hoist limit override

2780:
Trolley travelling limit device - backward


2781:
Trolley travelling limit device - forward

2782:
Trolley travelling backwards


2783:
Trolley travelling forwards

2784:
Ultrasonic bath


2785:
Washer-disinfector for thermal disinfection

2786:
Disinfectant for hands

2787:
Disinfectant for hand-held and rotary dental instruments

2788:
Disinfectant for work surfaces


2789:
Disinfectant for floor and walls

2790:
Disinfectant for dental impression materials


2791:
Assortment

2792:
Cannot be sold separately

2793:
Material symbol

2794:
Packaging unit


2795:
Opened packages are not replaced

2796:
Obstacle warning system, side rear



2797:
Engine, power boost

2798:
Engine cooling fan

2799:
Suspended axle

2800:
Tractor, headland turning

2801:
Combine harvester, headland turning

2802:
Forage harvester, shear bar-to-cutterhead distance

2803:
Grain processor, roll distance

2804:
Harvesting equipment, header row number or number of rows

2805:
Log feeder, additional clamping force on rollers

2806:
Log feeder, stepwise rotation of feeding rollers

2807:
Wheel machine, cab levelling, fore-and-aft

2808:
Track machine, cab levelling, fore-and-aft

2809:
Protection against ionizing radiation

2810:
Fast operation

2811:
Slow operation

2812:
Very slow operation; creeper

2813:
Operator alert

2814:
Navigate menu options

2815:
Automatic steering; automatic guidance

2816:
Lever steering; turn left/right

2817:
Log length

2818:
Intercom

2819:
Pre-mix of foam solution

2820:
Powder

2821:
Fire pump, general

2822:
Fire pump, priming

2823:
Fire pump, draining

2824A:
Fire pump, engage

2824B:
Fire pump, engage

2825A:
Fire pump, disengage

2825B:
Fire pump, disengage

2826:
Fire pump, air purge valve

2827:
Fire pump, by-pass

2839:
Windscreen washer fluid heating

2840:
Side impact airbag, off

2841:
Front wiper de-ice electric heating system

2842:
Head restraint, fold down

2843:
Heated steering wheel

2844A:
Engine emission system, temperature; diesel particulate filter, regeneration underway

2844B:
Engine emissions system, temperature; diesel particulate filter, regeneration underway

2845:
Axle fluid temperature

2846:
Drawbar coupling, locked/secure

2847:
Drawbar coupling, unlocked/unsecure

2848:
Passenger side impact airbag, off

2849:
Smart card; smart key

2850:
Drawbar angle warning

2851:
Dental prophylaxis

2852:
Orthodontics

2853:
Jaw surgery

2854:
Implantology

2855:
Post system

2856:
Cavity preparation

2857:
Removal of old fillings

2858:
Working on fillings

2859:
Crown preparation

2860:
Crown cutting

2861:
Root canal preparation

2862:
Root planing

2863:
Precision technique

2864:
Model casting technique

2865:
Model fabrication

2866:
Acrylic technique

2867:
Crown and bridge technique

2868:
Sterilizable in a steam sterilizer (autoclave) at temperature specified

2869:
Fork-lift pocket

2870:
Retract axles

This is a preview - click here to buy the full publication


2871:
Extend axles


2872:
Axle lock, on or available


2873:
Axle lock, on or not available

Mobile elevating work platform (MEWP) on lorry


Platform extension, extend (out)

Platform extension, retract (in)

2877:
Mobile elevating work platform (MEWP) on lorry, boom, extend/retract

2878:
Mobile elevating work platform (MEWP) on lorry, boom, raise/lower


2879:
Jib winch, raise/lower load


2880:
Jib, tilt up/down (with winch)

2881:
Jib, extend/retract (with winch)


2882:
Jib winch, raise/lower load, lower controls

2883:
Engine speed, fast; high engine speed

2884:
Engine speed, slow; low engine speed


2945:
Engine emissions system

2946:
Diesel exhaust fluid (DEF); selective catalytics reduction (SCR) fluid

2947:
Engine emissions filter, regeneration, disable

2948:
Limited protection against sunglare

2949:
Good protection against sunglare

2950:
High protection against sunglare

2951:
High protection against extreme sunglare

2952A:
Not suitable for driving and road use

2952B:
Not suitable for driving and road use

2953:
Position lights, trailer


2954:
Interior light, trailer

2955:
Snowplough lights

2956:
Automatic high beam

2957:
Automatic low beam


2958:
Interior temperature, trailer


2959:
Transmission service

2960:
Child seat presence and orientation detection system (CPOD)

2961:
Obstacle detection, proximity of vehicle

2962:
Hood release, truck

2963:
Head-up display (HUD)

2964:
Emergency call (eCall)

2965:
Roof transparency

2966:
Drowsiness


2967:
Stabilizers extended and vehicle in stable position


2968:
House stabilizers; house outriggers

2969:
Additional hazard warning light

2970:
Foam concentrate

2971:
Additive

2972:
Fire pump intake

2973:
Fire pump delivery

2974:
Filling by fire pump

2975:
Tank heater

2976:
Pressure vessel

2977:
Pressure vessel, pressure

2978:
Pressure vessel, outlet

2979:
Pressure vessel, drain

2980:
Pressure vessel, decompression

2981:
Gas cylinder under pressure

2982:
Cage carrying capacity

2983:
Turntable ladder (base symbol)

2984:
Turntable ladder, rotate clockwise

2985:
Turntable ladder, rotate anti-clockwise

2986:
Turntable ladder, extend

2987:
Turntable ladder, retract

2988:
Turntable ladder, elevate

2989:
Turntable ladder, depress

2990:
Align ladders

2991:
Hydraulic platform (base symbol)

2992:
Hydraulic platform, rotate clockwise

2993:
Hydraulic platform, rotate anti-clockwise

2994:
Hydraulic platform, extend boom

2995:
Hydraulic platform, retract boom

2996:
Hydraulic platform, elevate boom

2997:
Hydraulic platform, depress boom

2998:
Circuit other than electrical, open

2999:
Circuit other than electrical, closed

3000:
Winch angle, maximum

3001:
Closing deflector

3002:
Opening deflector

3003:
Hose reel

3004:
Hose reel, wind out

3005:
Hose reel, wind in

3006:
Flushing

3007:
Branch pipe

3008:
Professional industrial laundering, tumble drying

3009:
Professional industrial laundering, tunnel finishing

3010:
RFID tag, general

3011:
RFID tag, specific air interface and data structure

3012:
RFID interrogator

3026:
Engine stop required

3027:
Parking assistance system

3028:
Rest break recommended

3029:
Forward motion inhibited, truck

3030:
Propulsion system failure

3031:
Fuel tank shut-off valve position, "on"

3032:
Fuel tank shut-off valve position, "reserve"

3033A:
Electric Starter; engine electric start

3033B:
Electric Starter; engine electric start

3034:
Helmet llock; helmet holder

3035:
Windscreen, adjustment type

3036:
Handgrip heater

3037:
Machine immobilizer

3038:
Pacemaker, single chamber, right ventricular

3039:
Pacemaker, single chamber, right atrial

3040:
Pacemaker, dual chamber, right atrial, right ventricular

3041:
Implantable cardioverter defibrillator, single chamber, right ventricular

3042:
Implantable cardioverter defibrillator, dual chamber, right atrial, right ventricular

3043:
Cardiac resynchronization therapy pacemaker, right atrial, right ventricular, left ventricular

3044:
Cardiac resynchronization therapy defibrillator, right atrial, right ventricular, left ventricular

3045:
Implantable device

This is a preview - click here to buy the full publication


3046:
Implantable device, coated


3047:
Maximum tracking rate and minimum rate


3048:
Minimum tracking rate


Amplitude and pulse width, general

Amplitude and pulse width, right atrial

Amplitude and pulse width, left ventricular


3052:
Amplitude and pulse width, right ventricular


3053:
Sensitivity

3054:
Sensitivity, right atrial

3055:
Sensitivity, right ventricular

3056:
Refractory period, right atrial

3057:
Refractory period, right ventricular

3058:
Refractory period, post ventricular

3059:
Refractory period

3060:
Atrial to ventricular interval, paced and sensed


3061:
Sensed atrial to ventricular interval


3062:
Header face


3063:
Single pole high voltage connector cavity for defibrillator


3064:
Four pole high voltage connector cavity for defibrillator


3065:
Single pole low voltage connector cavity for pacemaker and defibrillator


3066:
Four pole low voltage connector cavity for pacemaker and defibrillator


3067:
Non-standard connector cavity

3068:
Legacy connector cavity


3069:
Defibrillation


3070:
Atrial or ventricular cardioversion


3071:
Ventricular cardioversion



3072:
Anti-tachycardia pacing, right atrial and right ventricular



3073:
Implantable pulse generator used for cardiac stimulation and defibrillation



3074:
Anti-tachycardia pacing, right ventricular



3075:
Anti-tachycardia pacing (right atrial, right ventricular, left ventricular)



3076:
Anti-tachycardia pacing, left ventricular

3077:
Torque wrench for implantable pulse generator

3078:
Vein lifter


3079:
Open here


3080:
Flat drying


3081:
Ironing, general

3082:
Manufacturer



3083:
n vitro diagnostic (IVD) device for performance evaluation



3084:
Sterile fluid path

3085:
Washing, general

3086:
Washing, normal process, maximum 30 Celsius

3087:
Washing, mild process, maximum 30 Celsius

3088:
Washing, very mild process, maximum 30 Celsius

3089:
Washing, normal process, maximum 40 Celsius

3090:
Washing, mild process, maximum 40 Celsius

3091:
Washing, very mild process, maximum 40 Celsius

3092:
Washing, normal process, maximum 50 Celsius

3093:
Washing, mild process, maximum 50 Celsius

3094:
Washing, normal process, maximum 60 Celsius

3095:
Washing, mild process, maximum 60 Celsius

3096:
Washing, normal process, maximum 70 Celsius

3097:
Washing, normal process, maximum 95 Celsius

3098:
Bleaching by any agents

3099:
Bleaching with non-chlorine agents

3100:
Flat drying in shade

3101:
Flat drip drying

3102:
Flat drip drying in shade

3103:
Line drying

3104:
Line drying in shade

3105:
Drip line drying

3106:
Drip line drying in shade

3107:
Tumble drying, maximum 60 Celsius

3108:
Tumble drying, maximum 80 Celsius

3109:
Do not tumble dry

3110:
Ironing, maximum 110 Celsius

3111:
Ironing, maximum 150 Celsius

3112:
Ironing, maximum 200 Celsius

3113:
Do not iron

3114:
Do not dry clean

3115:
Normal dry cleaning using hydrocarbones

3116:
Mild dry cleaning using hydrocarbones

3117:
Normal dry cleaning using solvents

3118:
Mild dry cleaning using solvents

3119:
Normal professional wet cleaning

3120:
Mild professional wet cleaning

3121:
Very mild professional wet cleaning

3122:
Do not professional wet clean

3123:
Do not wash

3124:
Do not bleach

3125:
Wash by hand

3126:
Protection against agricultural pesticides

3127:
Automatic idle start-stop

3128:
Lane keeping assistance system

3129:
Propulsion battery temperature

5001A:
Battery, general

5001B:
Battery, general

5002:
Positioning of cell

5003:
AC/DC-converter; rectifier; substitute power supply

5004:
Variability

5005:
Plus; positive polarity

5006:
Minus; negative polarity

5007:
"ON" (power)

5008:
"OFF" (power)

5009:
Stand-by

5010:
"ON"/"OFF" (push-push)

5011:
"ON"/"OFF" (push button)

5012:
Lamp; lighting; illumination

5013:
Bell

5014:
Horn, electrical / electromechanical

5015:
Air impeller; blower; fan

5016:
Fuse

5017:
Earth; ground

5018:
Functional earthing; functional grounding (US)

5019:
Protective earth; protective ground

This is a preview - click here to buy the full publication



5020: Frame or chassis
5021: Equipotentiality
5022: Movement in one direction
Movement in both directions
Movement limited in both directions
Effect or action away from a reference point
5026: Effect or action towards a reference point
5027: Effect or action in both directions away from a reference point
5028: Effect or action in both directions towards a reference point
5029: Non-simultaneous effect or action away from and towards a reference point
5030: Simultaneous effect or action away from and towards a reference point
5031: Direct current
5032: Alternating current
5032-1: Three-phase alternating current
5032-2: Three-phase alternating current with neutral conductor
5032-3: Two-phase alternating current
5032-4: Two-phase alternating current with neutral conductor
5032-5: Single-phase alternating current
5033: Both direct and alternating current
5034: Input
5035: Output
5036: Dangerous voltage
5037: Treble control
5038: Bass control
5039: Aerial; antenna
5040: Dipole
5041: Caution, hot surface
5042: Frame aerial; loop antenna
5043: Tuner; radio receiver
5044: Signal strength attenuation, local/distant
5045: Tuning
5046: Automatic frequency control
5047: Muting; squelch
5048: Colour (qualifying symbol)
5049: Television; video; screen
5050: Colour television
5051: Television monitor
5052: Colour television monitor
5053: Television receiver
5054: Colour television receiver
5055: Focus
5056: Brightness; brilliance
5057: Contrast
5058: Colour saturation
5059: Crispener
5060: Hue
5061: Horizontal synchronization
5062: Vertical synchronization
5063: Horizontal picture shift
5064: Vertical picture shift
5065: Horizontal picture amplitude
5066: Vertical picture amplitude
5067: Picture size adjustment
5068: Horizontal linearity
5069: Vertical linearity
5070: Monophonic
5071: Stereophonic
5072: Balance
5073: Omnidirectional microphone
5074: Bi-directional microphone
5075: Unidirectional or cardioid microphone
5076: Earphone
5077: Headphones
5078: Stereophonic headphones
5079: Headset
5080: Loudspeaker
5081: Loudspeaker/microphone
5082: Microphone, general
5083: Stereophonic microphone
5084: Amplifier
5085: Music
5086: Pick-up for disk records
5087: Stereophonic pick-up for disk records
5088: Piezo-electric pick-up, crystal or ceramic
5089: Dynamic pick-up, electro- or magneto-dynamic
5090: Telephone; telephone adapter
5091: High-pass filter
5092: Low-pass filter
5093: Tape recorder
5094: Magnetic tape stereo sound recorder
5095: Recording on tape
5096: Play-back or reading from tape
5097: Erasing from tape
5098: Monitoring at the input during recording on tape
5099: Monitoring of tape after recording on tape
5100: Monitoring during play-back or reading from tape
5101: Recording lock on tape recorders
5102: Pulse marker on tape recorders
5103: Tape cutting
5104: Start; start of action
5105: Instruction or correction
5106: Length or end of text
5107A: Normal run; normal speed
5107B: Normal run; normal speed
5108A: Fast run; fast speed
5108B: Fast run; fast speed
5109: Not to be used in residential areas
5110A: Stop
5110B: Stop
5111A: Pause; interruption
5111B: Pause; interruption
5112: Transfer of signal
5113: Rejection
5114: Foot switch
5115: Signal lamp
5116: Television camera
5117: Colour television camera
5118: Videotape recorder
5119: Colour videotape recorder
5120: Video recording
5121: Colour video recording
5122: Video play-back

This is a preview - click here to buy the full publication


5123:
Colour video play-back


5124A:
Slow run; slow speed


5124B:
Slow run; slow speed

Recapitulate

Recapitulate

Loudspeaker in operation as a microphone


5127:
Loudspeaker in operation as such

5128:
Heading marker

5129:
Aerial rotation; scanner rotation


5130:
Pulse, general


5131:
Long pulse

5132:
Programmable start

5133:
Bearing marker

5134:
Electrostatic sensitive devices


5136:
Ship's head-up presentation


5136-1:
Ship's head-up presentation, heading line off

5137:
North-up presentation

5138:
Independent lighting auxiliary

5140:
Non-ionizing electromagnetic radiation

5141:
Anti sea-clutter, position of minimum

5142:
Anti rain-clutter, position of minimum

5143:
Range selector


5144:
Range rings brilliance


5145:
Variable range marker

5146:
Adjustment to a minimum

5147:
Adjustment to a maximum


5148:
Pick-up for video disk record player


5149:
Transmitted power monitor


5150:
Transmit/receive monitor


5151:
Hydrophone


5152:
Radiation of laser apparatus


5153:
Underwater sound projector


5154:
Reversible transducer for underwater sound


5156:
Transformer

5157:
Band-pass filter

5158:
Band-pass filter with variable centre frequency

5159:
Band-pass filter with variable pass-band; selectivity control

5160:
Band-stop filter

5161:
Anti sea-clutter, position of maximum


5162:
Anti rain-clutter, position of maximum

5163:
Recording on an information carrier

5164:
Reading or reproduction from an information carrier

5165:
Erasing from an information carrier

5166:
Monitoring input data during writing or recording on an information carrier

5167:
Monitoring input data after writing or recording on an information carrier

5168:
Monitoring output data during read-out or reproduction from an information carrier

5169:
Recording lock

5170:
Marker

5171:
Tape cutting, general

5172:
Class II equipment

5173:
Signal low terminal

5177:
Fast start

5178:
Fast stop

5179:
Test voltage

5179-1:
Test voltage, impulse

5180:
Class III equipment

5181:
Variability in steps

5182:
Sound; audio

5183:
Variability, maximum step

5184:
Clock; time switch; timer

5185:
Rejection filter; wave trap

5186:
Rectifier, general

5187:
Teacher; supervisor

5188:
Student; operator

5189:
Group of students; group of operators

5190:
All students; all operators

5191:
Frame adjustment

5192:
Graphical recorder

5193:
Printer

5194:
DC/AC-converter

5195:
Variable band-stop filter

5196:
Gyro indicator, general

5197:
Gyro indicator, setting

5198:
Gyro-compass true bearing

5199:
Relative bearing

5200:
Bearing ruler setting

5201:
Phase calibration

5202:
Angle calibration

5204:
Sense-aerial switch; sense-antenna switch

5210:
Speak

5211:
Listen

5213:
Morse key

5216:
Suitable for live working; double triangle

5219:
Safety isolating transformer for toys

5220:
Short-circuit-proof transformer

5221:
Isolating transformer, general

5222:
Safety isolating transformer, general

5223:
Non-short-circuit-proof transformer

5225:
Electric shaver outlet

5226:
Pre-wash, textile washing machines

5227:
Main wash, textile washing machines

5228:
Rinsing

5229:
Stop after last rinse

5230:
Spinning

5231:
Without spinning

5232:
Special treatment

5234:
High water level

5235:
Low water level

5236:
Draining

5237:
Drying or warming operation

5244:
Automatic gain control, large field

5245:
Automatic gain control, small field

5249:
Frequency of an alarm signal

5250:
Conference

5251:

5252:

5253:

5254:

5255:

5256:

5257:

5258:

Enter subscriber data into the local memory

Parked call; held call

(Call) transfer

Link unit

Travelling wave tube amplifier

Signalling sender

Signalling receiver

Frequency of a test, identification or control signal

This is a preview - click here to buy the full publication



5259: Frequency of a synchronizing signal

5260: Demodulator



5260-1: Demodulator, primary group



5260-2: Demodulator, secondary group

5261: Modulator

5261-1: Modulator, primary group



5261-2: Modulator, secondary group

5262: Modem

5263: Principal control panel

5264: "ON" for a part of equipment



5265: "OFF" for a part of equipment

5266: Stand-by or preparatory state for a part of equipment

5267: Synchronizing function

5268: "IN" position of a bi-stable push control



5269: "OUT" position of a bi-stable push control

5270: Programmable stop; sleep timer

5271: Channel selector with logic control

5272: Harmonic generator

5273: Automatic change-over unit

5274: Manual change-over unit

5275: Overvoltage protection device

5276: Local



5276-1: Carrier, local



5276-2: Pilot, local



5276-3: Measure, local



5276-4: Signalling, local

5276-5: Alarm, local



5277: Remote



5277-1: Carrier, remote



5277-2: Pilot, remote



5277-3: Measure, remote



5277-4: Signalling, remote

5277-5: Alarm, remote



5278: Phase jitter

5279: Phase jitter filter



5280: Loop, transmission line

5281: Digital combiner

5282: Digital separator

5283: Regenerative repeater

5284: Converter with stabilized output voltage

5285: Adjustable device

5286: Distortion corrector

5286-1: Distortion corrector, amplitude/frequency

5286-2: Distortion corrector, phase/frequency

5286-3: Distortion corrector, delay/frequency

5287: Tracking

5288: Dubbing

5289: Application assistance

5290: Page hold

5291: Picture-in-picture mode

5292: Interchange

5293: Position switch having a break contact with positive opening operation

5294: Badly soiled items; cooking utensils

5295: Normally soiled items

5296: Lightly soiled items

5297: Delicate items

5298: Regenerating agent

5299: Final rinse agent

5300: Pre-wash, dish washers

5301: Main wash detergent

5302: Converter with stabilized output current

5303: Operational amplifier

5304: Equipment containing logic elements

5305: Sampling unit

5306: Comparator, general

5306-1: Comparator, voltage

5306-2: Comparator, current

5306-3: Comparator, frequency

5307: Alarm, general

5308: Urgent alarm

5309: Alarm system clear

5310: Frame

5311: Multiframe

5312: Frame alignment

5313: Loss of frame alignment

5314: Error in frame alignment

5315: Two-level signal

5316: Three-level signal

5317: Binary coded signal

5318: Strobe, general

5318-1: Strobe, video equipment

5319: Alarm inhibit

5320: Indirect lighting

5321: Low-intensity lighting

5322: Hand-held switch

5323: Iris diaphragm, open

5323-1: Iris diaphragm, centre-weighted

5323-2: Iris diaphragm, spot

5323-3: Iris diaphragm, average

5324: Iris diaphragm, closed

5325: Small focal spot

5326: Intermediate focal spot

5327: Large focal spot

5328: Radiographic control

5329: Indirect radiography

5330: Radioscopy

5331: Category AP equipment

5332: Category APG equipment

5333: Type BF applied part

5334: Defibrillation-proof type BF applied part

5335: Type CF applied part

5336: Defibrillation-proof type CF applied part

5337: X-ray tube

5338: X-ray source assembly

This is a preview - click here to buy the full publication

5339: X-ray source assembly, emitting

5340: Vertical radioscopic stand

5341: Vertical radiographic stand

5342: Horizontal radiographic table

5343: Photo-fluorographic stand

5344: Photo-fluorographic camera

5345: Equipment for tomography

5346: Tilting table with overtable X-ray source assembly

5347: Tilting table with undertable X-ray source assembly



5348: Radiodiagnostic compression device



5349: Radiodiagnostic compression device, movement



5350: Radiodiagnostic compression device, pressure applied



5351: Radiodiagnostic compression device, parked

5352: Anti-scatter grid

5353: Anti-scatter grid, movement

5354: Anti-scatter grid, not used



5355: Radiodiagnostic automatic control system



5356: Serial changer for single radiographic film



5359: Radiographic film selection, full format and orientation



5360: Radiographic film selection, division by two and orientation



5361: Radiographic film selection, division by four and orientation



5362: Film or cassette changer

5363: Film or cassette changers, bi-plane operation



5364: Radiodiagnostic simultaneous bi-plane operation



5365: Radiodiagnostic alternating bi-plane operation

5366: Floor mounted radiological equipment



5367: Ceiling suspended radiological equipment



5368: Radiodiagnostic urological table



5369: Surgical table



5370: Patient's chair, rotation about a vertical axis

5371: Patient's chair, tilt about a horizontal axis

5372: Craniographic equipment

5373: Radiodiagnostic C-arm



5374: Radiodiagnostic U-arm



5375: Mammographic equipment



5376: X-ray image intensifier



5377: X-ray image intensifier with stabilized input



5378: Image intensifier, full input field



5379: Image intensifier, small input field



5380: X-ray image intensifier, gettering



5381: Radiation filter or filtration



5382: Injection syringe

5383: Indication of radiation field centre by light



5384: Indication of radiation field by light



5385: Beam limiting device, open



5386: Beam limiting device, closed



5387: Beam limiting device with separate opening of the shutters



5388: Beam limiting device with separate closing of the shutters

5389: Patient, thin

5390: Person, general; patient, normal

5391: Patient, obese

5392: Patient support, tilting

5393: Patient support, longitudinal movement

5394: Patient support, stepwise movement

5395: Patient support, orthogonal movement to its plane

5396: Patient support, movements in its plane

5397: Patient support, rotation about a longitudinal axis

5398: Patient cradle, rotation about its longitudinal axis

5399: Patient support, rotation about an orthogonal axis

5401: Tomographic movement without X radiation

5402: Tomographic movement with X radiation

5403: Tomographic layer selection

5404: Anode rotation, normal speed

5405: Anode rotation, high speed

5406: Ionization chamber

5407: Electronic image, normal aspect

5408: Electronic image, reversal right-to-left

5409: Electronic image, inverted top-to-bottom

5410: Electronic image, inverted top-to-bottom and reversal right-to-left

5411: Screen or video image, reversal black-to-white

5412: Screen or video image, reference field

5413: Electronic image, gamma control

5415: Elapsed time display

5416: Remaining time display; processing

5417: Programmable duration

5418: Dust bag, full

5419: Dust bag

5420: Scrambler

5421: Descrambler

5424: Interface device, general

5424-1: Interface device, 140 Mbit/s

5424-2: Interface device, binary

5424-3: Interface device, synchronization

5430: Priority

5431: Direct link

5432: Omnibus link

5433: Normal operation

5434: Reserve operation

5435: Brightness and contrast

5436: Sound muting

5438: Spatial sound effect

5439A: Automatic search tuning

5439B: Automatic search tuning

5440: Programmable timer, general

5444: Remote control reception indicator

5446: Single or multi-digit selection

5447: Frequency band selection

5448: Input/output

5457: Auto reverse

5459: Eject

5460: Storage/store mode finished

5463: Teletext mode

5464: Satellite reception mode, general

5464-1: Satellite reception mode, television

5467: Screen or video

5470A: Run with visualization; cue

5470B: Run with visualization; cue

5471: Frame by frame, general

5471-1: Frame by frame, video

5476: Main index page

5477: Image display, cancel

5478: Page enlargement

image, freeze

This is a preview - click here to buy the full publication

5480:
TV and text mixed

5483:
Page number down


5484:
Page number up

5487:
Video data


5490:
Enlargement of the cooking zone, concentric

5491:
Enlargement of the cooking zone, eccentric


5492:
Enlargement of the cooking zone, oval


5493:
Enlargement of the cooking zone, bilateral


5495:
Return to an initial state


5498:
Short code dialling

5499:
Basic diversion


5500:
Three-party call


5501:
Call-back


5502:
Incoming calls barred


5503:
General cancel


5504:
Repeat last call

5505:
No-reply diversion

5506:
Enquiry call

5507:
Call waiting


5508:
Call pick-up


5509:
Disconnection


5510:
Additional information on screen


5511:
Menu


5512:
System status display


5513:
Picture-in-picture, shift


5514:
Picture-in-picture, freeze

5515:
Picture-in-picture, swap


5516:
Picture-in-picture, select


5517A:
Multi-picture display


5517B:
Multi-picture display

5518:
Video disc player


5519:
Timed page cancel


5520:
Subtitle


5521A:
Video input/output


5521B:
Video input/output


5522:
Colour video input/output

5522-1:
Colour video input/output, analogue


5522-2:
Colour video input/output, digital


5525A:
Video input


5525B:
Video input

5526:
Colour video input

5526-1:
Colour video input, analogue

5526-2:
Colour video input, digital

5529A:
Video output

5529B:
Video output

5530:
Colour video output

5530-1:
Colour video output, analogue

5530-2:
Colour video output, digital

5533:
Record review

5534:
Power plug

5535:
Loudness

5536:
Moisture

5537:
Fader

5538:
Close-up

5539:
Wide-angle

5540:
Tele(photo)

5541:
Background light

5542:
Plane of sensitized material; image plane

5543:
Record player; phonograph

5544:
Compact disc player

5546:
Battery check

5547:
Recording, general

5548:
Insertion of signals

5549:
Record muting

5550:
Tone arm, up

5551:
Tone arm, down

5552:
Colour temperature, natural light

5553:
Colour temperature, incandescent lamp

5554:
Still mode

5555:
Tape running direction

5556:
Manual reverse

5557:
Auto reverse continuously

5558:
White balance

5559:
Two independent audio channels

5560:
Cable television distribution

5561:
Cassette

5562:
Tape end

5569:
Locking, general

5570:
Unlocking

5572:
Cable coiling

5573:
Water tap, closed

5574:
Water tap, open

5575:
Filter cleaning / changing

5576:
Bell cancel

5576-1:
Bell, cancel acknowledged; acknowledged

5576-2:
Bell, cancel temporary

5576-3:
Bell, cancel temporary acknowledged; temporary acknowledged

5577:
Zone focus, very short distance

5578:
Zone focus, short distance

5579:
Zone focus, middle distance

5580:
Zone focus, long distance

5581:
Save; economize

5582:
Suitable for use in a bath or shower

5583:
Short wash programme

5584:
Laundry starch

5585:
Gentle spin dry

5586:
Half load

5587:
Lightly soiled

5588:
Medium soiled

5589:
Heavily soiled

5594:
Crease resisting

5595:
Condensate collector, general

5596:
Condensate collector, full

5597:
Steam, low jet

5598:
Steam, medium jet

5599:
Steam, high jet

5600:
Smooth floor or surface

5601:
Carpet, general

5602:
Carpet, long pile

5603:
Upholstery

5604:
Curtains

5605:
Brush, extended

This is a preview - click here to buy the full publication


5606:
Brush, retracted


5607:
Oven, general


5608:
Oven, rotisserie

Oven, grill


Oven, warm circulating air

Oven, warm air grill

5612:
Oven, lower heating


5613:
Oven, upper heating


5614:
Oven, lower and upper heating

5615:
Oven, microwave

5616:
Oven, microwave and turntable


5617:
Oven, self-cleaning

5618:
Oven, automatic


5619:
Oven, lighting


5620:
Oven, defrosting position

5621:
Oven, thermometer

5622:
Stove, plate indicator


5623:
Door, closed


5624:
Door, open


5625:
Intermediate rinsing, dish washers

5627:
Oven, warming


5628:
Functional movement, stepwise mode


5630A:
Run with visualization; review


5630B:
Run with visualization; review


5631:
Three component video signal (qualifying symbol)


5632:
Three component video input/output


5632-1:
Three component video input/output, analogue


5632-2:
Three component video input/output, digital


5633:
Three component video input


5633-1:
Three component video input, analogue


5633-2:
Three component video input, digital


5634:
Three component video output


5634-1:
Three component video output, analogue


5634-2:
Three component video output, digital


5635:
Two component video input/output

5635-1:
Two component video input/output, analogue


5635-2:
Two component video input/output, digital


5636:
Two component video input


5636-1:
Two component video input, analogue


5636-2:
Two component video input, digital

5637:
Two component video output

5637-1:
Two component video output, analogue

5637-2:
Two component video output, digital

5638:
Emergency stop

5639:
Rechargeable battery

5640:
Main wash, dish washers

5641:
Suitable for covering

5642:
Image intensifier, medium input field

5643:
Zero line shift

5645:
Correction of a region of interest

5646:
Definition of a region of interest

5647:
Display in cascade

5648:
Display transfer

5649:
Limits, general

5650:
Adjustable upper limit

5651:
Adjustable lower limit

5652:
Baseline adjustment

5653:
Baseline reset to a determined value

5655:
Rotation around an axis, axial view

5656:
Rotation around an axis, side view

5657:
Mixing of substances

5658:
Distance measurement

5659:
Start, test run

5661:
Ready for transport

5662:
Date

5663:
Next person

5664:
Person identification

5665:
Body weight

5666:
Body height

5667:
Baby

5668:
Nurse

5669:
Scintillation counter

5670:
Scintillation counter with well

5671:
Gamma camera

5672:
Gamma camera, tilt

5673:
Gamma camera, rotation

5674:
Movement of a patient support at normal speed

5675:
Movement of a patient support at high speed

5676:
Equipment for tomography, movement to start position

5677:
Floor standing X-ray source assembly with horizontal table

5678:
Floor standing X-ray source assembly with tilting table

5679:
Ceiling suspended X-ray source assembly with horizontal table

5680:
Ceiling suspended X-ray source assembly with tilting table

5681:
Equipment for tomography with tilting table

5683:
X-ray intensifying screen, low sensitivity

5684:
X-ray intensifying screen, medium sensitivity

5685:
X-ray intensifying screen, high sensitivity

5686:
Stereo focal spot

5687:
Ultrasound image, general

5688:
Ultrasound image, dual-image

5689:
Ultrasound image, field selection

5690:
Ultrasound image, magnification

5691:
Ultrasound image, scan-line selection

5692:
Ultrasound image, image selection

5693:
Ultrasound image, M mode

5694:
Ultrasound image, B and M modes

5695:
Ultrasound image, M speed

5696:
Ultrasound image, pulsed Doppler mode

5697:
Ultrasound image, CW Doppler mode

5698:
Ultrasound image, measuring volume increase

5699:
Ultrasound image, measuring volume movement upwards

5700:
Ultrasound image, measuring volume movement downwards

5701:
Ultrasound image, measuring volume decrease

5702:
Ultrasound image, positioning of the focus

This is a preview - click here to buy the full publication

5707:
Pencil probe

5709:
Probe for sector-shaped sound field


5710:
Linear or curved array probe

Probe for circular sound field

Variation of ultrasound energy

Variation of scan depth

5714:
Variation of scan aperture


5715:
Ultrasound receiver, overall gain


5716:
Ultrasound receiver, near field gain


5717:
Ultrasound receiver, start point depth compensation

5718:
Ultrasound receiver, depth compensation


5719:
Ultrasound receiver, far field gain

5720:
Image line density

5721:
Dynamic range


5722:
Grey scale

5723:
Edge enhancement


5725:
Shockwave head


5726:
Shockwave head, overtable position


5727:
Shockwave head, undertable position


5728:
Shockwave head, movement in the longitudinal direction


5729:
Shockwave head, rotational movement


5730:
Shockwave head, target position

5731:
Shockwave head, park position

5732:
Shockwave head, decouple

5733:
Shockwave head, couple

5734:
Shockwave head, therapy position left

5735:
Shockwave head, therapy position right

5736:
Impulse

5737:
Respiratory triggering

5738:
Alignment of the target position

5739:
Driving to the target position


5740:
Electrode replacement position

5741:
Respiratory mask

5742:
Tracheal tube

5743:
Laryngoscope


5744:
Ampule


5745:
Hypodermic needle


5746:
Resuscitator


5747:
Infusion bottle


5748:
Surgical instrument

5749:
Electrical cautery device

5750:
Radiation, infrared

5751:
Radiation, ultraviolet

5752:
Changing the line spacing

5753:
Digital indicator

5754:
Probe angulation

5755:
Probe, longitudinal movement

5756:
Probe in parking position

5757:
Integral radiation measurement, threshold

5758:
Energy selective radiation measurement, window width, lower threshold

5759:
Energy selective radiation measurement, window width, upper threshold

5760:
Energy selective radiation measurement, window center position

5761:
Energy selective radiation measurement, window width, symmetrical adjustment

5762:
Radiation measurement, integral

5763:
Radiation measurement, energy selective

5764:
Radionuclide scanner

5765:
Detector head in overtable position

5766:
Detector head in undertable position

5767:
Energy selective radiation multichannel measurement

5768:
Pixel averaging

5769:
Shockwave head, movement in lateral direction

5770:
Keypad

5771:
Electronic image, averaging

5772:
Electronic image, rotation

5773:
Television or video image, interlacing

5774:
Film blackening

5777:
Electrosurgery, electrode handle

5778:
Electrosurgery, one-button electrode handle

5779:
Electrosurgery, two-button electrode handle

5780:
Electrosurgery, cutting mode

5781:
Electrosurgery, blended cutting mode

5782:
Electrosurgery, coagulation mode

5783:
Electrosurgery, spray coagulation mode

5784:
Electrosurgery, bipolar coagulation mode

5785:
Suitable for use in the tropics

5786:
Suitable for use in the subtropics

5788:
Displayed image, enlarged

5789:
Displayed image, reduced

5791:
Panning function

5792:
Enlargement of region of interest

5794:
Image interchange

5795:
ECG triggered display

5800:
Split screen

5802:
Screen selection

5810:
Patient position, head/foot reversed

5811:
Patient position, supine

5812:
Patient position, prone

5814:
Patient position, left side

5815:
Next image series

5816:
Previous image series

5817:
Exposure with contrast injection

5818:
Beam limiting device, general preset

5819:
Beam limiting device, esophagus preset

5820:
Beam limiting device, small field preset

5821:
Selection of other bi-plane channel

5822:
Manual movement

5823:
Definition of start position of patient support movement

5824:
Movement of patient support to start position

5825:
Wedge, in / out movement

5826:
Contour wedge, in / out movement

5827:
Central wedge, in / out movement

5828:
Wedge, rotation

5829:
Central wedge, rotation

5830:
X-ray source, rotation around a horizontal axis

This is a preview - click here to buy the full publication


5831:
X-ray source and image intensifier, combined rotation


5832:
X-ray source and image intensifier, combined movement


5833:
X-ray source, rotation around its beam axis

Type B applied part


Defibrillation-proof type B applied part

Multi-pulse

5843:
Target position

5844:
Body temperature

5845:
Inner diameter


5846:
Outer diameter

5847:
Trend

5848:
Probe rotation


5849:
Setup

5850:
Serial interface


5851:
Printer connection; parallel interface



5852:
X-ray filter


5853:
Final rinsing, dish washers

5854:
Fast freeze; superfrost



5855:
Minimum supply capacity

5856:
Pre-wash detergent

5857:
Lamp test

5861:
Next; to play next part


5862:
Previous; to play previous part


5863:
Tune, high key


5864:
Tune, low key


5865:
Tune, normal key

5866:
Picture adjustment, tilt


5867:
Picture adjustment, skew


5868:
Picture adjustment, horizontal keystone


5869:
Picture adjustment, vertical keystone


5870:
Picture adjustment, horizontal pincushion

5871:
Picture adjustment, vertical pincushion


5872:
Picture adjustment, horizontal bow

5873:
Picture adjustment, vertical bow

5874:
Picture adjustment, rotation

5875:
Optical focus

5876:
Night portrait mode


5877:
Low light mode

5879:
Self-timer


5880:
World time

5881:
Summer time

5882:
Sound and language selection

5883:
Camera position selection

5884:
Memory disk

5885:
Still camera

5886:
Image display, basic setting

5887:
Camera recorder

5888:
Transfer marked images

5889:
Marking of an image

5890:
Store displayed image

5892:
Transfer image

5893:
Electronic shutters, close

5894:
Electronic shutters, open

5895:
Ergometer

5896:
Optical conductor lighting

5897:
Floor stand, horizontal adjustment

5898:
Floor stand, vertical adjustment

5913:
Handheld microphone

5914:
Emergency warning reception mode

5915:
Booth, language laboratory

5916:
Pair of students

5917:
Single frame shot

5918:
Lighting with reflector

5920:
Position, centre front

5921:
Position, centre rear

5922:
Position, centre

5923:
Position, left front

5924:
Position, left rear

5925:
Position, left

5926:
Polarity of d.c. power connector

5927:
Fast shutter speed mode; sports mode

5928:
Wide-screen (16:9), normal mode

5929:
Wide-screen (16:9), selection of picture mode

5930:
Wide-screen (16:9), full picture mode

5931:
Wide-screen (16:9), horizontal zoom mode

5932:
Wide-screen (16:9), zoom mode

5933:
Wide-screen (16:9), zoom in/out

5934:
Wide-screen (16:9), picture enlarge mode

5935:
Motorized cleaning head for water suction cleaning

5937:
Cardiac pacemaker; implantable cardioverter defibrillator

5938:
Communication, infrared

5939:
Power supply type of electric device

5941:
Auto-transformer, general

5942:
Auto-transformer, non-short-circuit proof

5943:
Auto-transformer, short-circuit proof

5944:
Isolating transformer, non-short-circuit proof

5945:
Isolating transformer, short-circuit proof

5946:
Safety isolating transformer, non-short-circuit proof

5947:
Safety isolating transformer, short-circuit proof

5948:
Perturbation attenuation isolating transformer, general

5949:
Perturbation attenuation isolating transformer, short-circuit proof

5950:
Small reactor, general

5951:
Small reactor, non-overload proof

5952:
Small reactor, overload proof

5953:
Transformer for Class III handlamps, short-circuit proof

5954:
Colour temperature, fluorescent lamp

5955:
Colour temperature, cloudy/rainy

5956:
Colour temperature, sunrise/sunset

5957:
For indoor use only

5958:
Radiodiagnostic C-arm, angulation

5959:
X-ray source to image intensifier distance, increase

5960:
X-ray source to image intensifier distance, decrease

5961:
X-ray source to image intensifier, centering

5962:
Image intensifier, rotation around a horizontal axis

This is a preview - click here to buy the full publication

5963:
X-ray source, lateral movement

5964:
X-ray source, longitudinal movement

5965:
X-ray source, vertical movement

Patient support, patient transfer position

Gantry, tilt

Perturbation attenuation safety isolating transformer


5969:
Perturbation attenuation safety isolating transformer, short-circuit proof



5970:
Frequency converter

5971:
Transformer for Class III handlamps, non-short-circuit proof

5972:
Isolating transformer for the supply of medical locations, non-short-circuit proof

5973:
Mirror contact


5974:
Devices for connection of fixed luminaires; DCL

5975:
Electronic image, general

5976:
X-ray image receptor, radiographic


5977:
X-ray image receptor, radioscopic


5978:
X-ray image receptor, changer

5979:
X-ray cassette, freely positioned

5980:
Indirect radiography, digital

5981:
Radioscopy, pulsed


5982:
X-ray field, not limited by shutters


5983:
Radiodiagnostic compression device, no pressure applied


5984:
Radiodiagnostic automatic control system, field selection

5985:
Determination of radiography settings from radioscopy

5986:
Disc media; optical disc; compact disc (CD)

5987:
Hard disk


5988:
Computer network

5989:
Telephone line

5990:
Mouse

5991:
Keyboard

5992:
Locking, numerals; num-lock

5993:
Locking, capitals; caps-lock

5994:
Locking, scroll; scroll lock

5995:
Do not immerse in any liquid

5997:
Message, general

5998:
Message, confidential

5999:
Telephone, ringing

6000:
On-hook dialling

6001:
Internal call

6002:
External call

6003:
Stamping

6004:
Door-phone

6005:
Pulse background

6006:
Pulse peak

6007:
Hot start

6008:
Slope, increasing

6009:
Slope, decreasing

6010:
Construction site, general

6010-1:
Isolating transformer for construction sites, fail-safe

6010-2:
Isolating transformer for construction sites, fail-safe, safety

6010-3:
Isolating transformer for construction sites, fail-safe, mid-point or starpoint earthed

6010-4:
Isolating transformer for construction sites, non-short-circuit proof

6010-5:
Isolating transformer for construction sites, non-short-circuit proof, safety

6010-6:
Isolating transformer for construction sites, non-short-circuit proof, midpoint or star-point earthed

6010-7:
Isolating transformer for construction sites, short-circuit proof

6010-8:
Isolating transformer for construction sites, short-circuit proof, safety

6010-9:
Isolating transformer for construction sites, short-circuit proof, mid-point or star-point earthed

6011:
Constant voltage separating transformer, general

6012:
Constant voltage isolating transformer, general

6013:
Constant voltage safety isolating transformer, general

6014:
Variable separating transformer, general

6015:
Variable isolating transformer, general

6016:
Variable safety isolating transformer, general

6017:
Constant voltage auto-transformer, general

6018:
Variable auto-transformer, general

6019:
Vibration

6020:
Variability, rotational adjustment with maximum step

6021:
Electronic image, cancel

6022:
Mouse, left click

6023:
Electronic programme guide; EPG

6024:
Inlet for liquid; input for liquid

6025:
Outlet for liquid; output for liquid

6026:
Inlet for gas; input for gas

6027:
Outlet for gas; output for gas

6028:
Display brilliance

6029:
Scale panel illumination

6030:
Self-shielded lamp, general

6031:
Distance from water level

6032:
Do not connect to protective earth; do not connect to protective ground

6033:
Do not remove battery

6034:
Rough service luminaires

6035A:
Press and hold; long push

6035B:
Press and hold; long push

6036:
Control transformer, fail-safe

6037:
Control transformer, non-short-circuit proof

6038:
Control transformer, short-circuit proof

6039:
Flames kept away

6040:
Ultraviolet radiation, instructional safeguard

6041:
Visible radiation, instructional safeguard

6042:
Caution, risk of electric shock

6043:
Caution, sharp edges

6044:
Caution, avoid listening at high volume levels for long periods

6045:
Rated power input, a.c.

6046:
Rated power input, d.c.

6047:
Rated power output, a.c.

6048:
Rated power output, d.c.

6049:
Country of manufacture

This is a preview - click here to buy the full publication

6050:
Model number

6051A:
Undo

6051B:
Undo

6053:
Built-in LED module

6054:
Speech output

6055:
Audio description

6056:
Caution, moving fan blades

6057:
Caution, moving parts



6058:
Battery, removal

6059:
Caution, possibility of tilting



6060:
Anti-tip restraints

6061:
Do not hose

6062:
Do not expose to moisture

6063:
Separating transformer, high insulation level, general



6064:
Separating transformer, high insulation level, non-short-circuit-proof



6065:
Separating transformer, high insulation level, short-circuit-proof



6066:
Separating transformer, output voltages exceeding 1 kV, general



6067:
Separating transformer, output voltages exceeding 1 kV, non-short-circuit-proof



6068:
Separating transformer, output voltages exceeding 1 kV, short-circuit-proof

6069:
Caution, very bright light

6070:
Do not disconnect under load

6071:
Caution, unprotected lamp



6072-1:
Space, en



6072-10:
Space, zero width



6072-11:
Space, medium mathematical



6072-12:
Space, narrow no-break



6072-13:
Space, select



6072-2:
Space, em



6072-3:
Space, three-per-em

6072-4:
Space, four-per-em



6072-5:
Space, six-per-em



6072-6:
Space, figure

6072-7:
Space, punctuation



6072-8:
Space, thin or narrow



6072-9:
Space, hair



6073:
Hyphen, soft



6074:
Hyphen, non-breaking



6075:
Non-stopping dot

6076-1:
Separator, line

6076-2:
Separator, paragraph



6077-1:
Zero-width non-joiner



6077-2:
Joiner, zero-width



6077-3:
Joiner, word



6077-4:
Joiner, combining grapheme

6078:
Mark, left-to-right



6079-1:
Applicator, horizontal stroke



6079-2:
Applicator, diagonal slash



6079-3:
Applicator, overlaid tilde

6079-4:
Applicator, hook below

6079-5:
Applicator, hook above

6079-6:
Applicator, hook

6079-7:
Applicator, superscript

6079-8:
Applicator, subscript

6079-9:
Applicator, superscript and subscript

6080:
Partial backward delete

6081:
Function key

6082:
Superselect

6083:
Superselect, secondary

6084:
Specific group, select group 2

6085-1:
Switch to decimal Unicode mode

6085-2:
Switch to hexadecimal Unicode mode

6086:
Switch to specific group, general

6087:
Latch to specific group, general

6088:
Switch to specific mode, general

6089:
Menu invocation key

6090:
Operating system key

6091:
Keep out of reach of children

6092:
Class II equipment with functional earthing; Class II equipment with functional grounding (US)

6093:
Moisture sensitive devices

6094:
Retrofit lamp, mains frequency

6095:
Retrofit lamp, high-frequency

6096:
Do not cover

6097:
Hyphen

6098:
Hyphen, double straight

6099:
Hyphenation point

6100:
Dash, figure

6101:
Dash, en

6102:
Dash, em

6103:
Dash, two-em

6104:
Dash, three-em

6105:
Horizontal bar

6106:
Minus sign

6107:
Macron

6108:
Overline

6109:
Low line

6110:
Dash, swung

6111:
Tilde operator

6112:
Asterisk operator

6113:
Middle dot

6114:
Bullet

6115:
Quotation mark, left single

6116:
Quotation mark, right single

6117:
Apostrophe

6118:
Quotation mark, single low-9

6119:
Quotation mark, left double

6120:
Quotation mark, right double

6121:
Quotation mark, double low-9

6122:
Quotation mark, single left-pointing angle

6123:
Quotation mark, single right-pointing angle

6124:
Quotation mark, left-pointing double angle

6125:
Quotation mark, right-pointing double angle

6126:
Bracket, left angle

6127:
Bracket, right angle

6128:
Bracket, left double angle

6129:
Bracket, right double angle

6130:
Prime, single

6131:
Prime, double

6132:
Prime, reversed single

6133:
Prime, reversed double

6134:
Ditto mark

6135:
Slash, fraction

6136:
Slash, division

This is a preview - click here to buy the full publication



6137: Base mark, diacritic to be entered in handwriting order

6138: Base mark, diacritic above to be entered in handwriting order

6139: Base mark, diacritic below to be entered in handwriting order

Base mark, diacritic to be entered by the dead key method

Cap height marker, modifier letters and similar characters

Overlay, combining tilde

6143: Overlay, combining short slash

6144: Overlay, combining long slash



6145: Overlay, combining short solidus

6146: Overlay, combining long solidus

6147: Students with supervisor

6148: Residual current sensitive device (RCD), type AC

6149: Residual current sensitive device (RCD), type A

6150: Residual current sensitive device (RCD), type B

6151: Caution, infrared radiation

6152: Do not use lamp if outer bulb broken

6153: Lamp, fluorescent

6157: Self-healing capacitor

6158: Discharging device of capacitor

6159: Do not stare at light source

6159-1: Do not stare at light source

6160: Residual current sensitive device (RCD), type F

6161: Humidity sensor, resistive type

6162: Humidity sensor, capacitive type

6163: Electronic controlgear, emergency lighting

6164: Electronic controlgear, emergency lighting with automatic test function

6165: Regulated load

6166: Caution, non-ionizing electromagnetic radiation; Caution, microwave radiation

6167: Keep out of microwave radiation

6168: Live working, hand tool

6169-1: Disconnector; isolator

6169-2: Disconnecting circuit breaker

6169-3: Fuse-disconnector; fuse isolator

6170: Isolated gripping-lug

6171: Household socket outlet, EV and PHEV charging

6172: Disconnection, all power plugs

6173: Connection, protective conductor (PE)

6174: Electronic controlgear, audio-frequency impedance

6175: Live working, unsuitable for hand-manipulation

6176: Alternative position



6177: Transformer and power supply unit for saving energy

6178: Suitable for use under dust and moisture

6179: Not suitable for use under dust and moisture

6179-1: Not suitable for use under moisture

6179-2: Not suitable for use under dust

6180: Flame propagating

6181: Separate supply unit

6182: Installation, electrotechnical expertise



6183: Installation, mechanical expertise

6184: Hearing aid

6185-1: Own ship, true scaled outline

6185-2: Own ship, simplified

6185-3: Own ship, minimised

6186: Optical filtre

6187: Continuous operation

6188: Air impeller, feeding

6189: Air impeller, suction

6190: Power supply unit, switch mode; switch mode power supply unit; SMPS

6191: RF coil, transmit

6192: RF coil, transmit and receive

6193: RF coil, receive

6194: Gas discharge tube, two-electrode; two-electrode GDT

6195: Gas discharge tube, three-electrode; three-electrode GDT

6196: Immediate stop, light source



6197: Immediate stop, laser light source

6198: Ignition transformer, inherently short circuit proof, one end of output winding connected to the earth

6199: Ignition transformer, inherently short circuit proof, midpoint of output winding connected to the earth

6200: Aiming beam

6201: Aiming beam, blinking

6202: Packaging for ESD, general

6203: Water tank, periodical cleaning

6204: Caution, static magnetic field hazard



6205: Caution, alternating magnetic nearfield hazard

6206: Caution, electric field hazard

6207: Caution, touch current that can cause burns

6208: Caution, touch current or voltage

6209: Power supply unit, general

6210: Power supply unit, linear

6211: Copying paper / material, general

6212: Copying paper / material, punch location



6213: Copying paper / material, staple location

6214: Copying paper / material, transparency

6215: Copying paper / material, manual feed

6216: Copying paper / material, automatic selection

6217: Copying paper / material, roll

6218: Waste bin, toner

6219: Waste bin, paper/material

6220: Staple, jam



6221: Photoconductor unit

6222: Information, general; help, general

6223: Address book

6224: Area, rectangular

6225: Area, polygonal

6226: Copying, margin

6227: Copying, reversal black-to-white

6228: Copying, overlay



This is a preview - click here to buy the full publication

6229: Scanned image, movement

6230: Scanned image, centring

6231: Copying, continuous scaling

6232: Copying, normalization

6233: Scan mode

6234: Personal computer; PC

6235: Contrast, automatic adjustment

6236: Authentication

6238: Output tray selection

6239: Printing side, face up

6240: Printing side, face down

6241: Copying, facsimile

6242: Originals, size mixed

6243: Copying, general

6244: Conformity

6245: TANGO-IN; TI



6246: TANGO-OUT; TO

6247: VIDEO-IN; VI

6248: VIDEO-OUT; VO

6249: AUDIO-IN; AI

6250: AUDIO-OUT; AO

6251: CHEMO-IN; XI

6252: CHEMO-OUT; XO

6253: RADIO-IN; RI

6254: RADIO-OUT; RO

6255: CALOR-IN; CI

6256: CALOR-OUT; CO

6257: ELECTRO-IN; EI

6258: ELECTRO-OUT; EO

6260: Vascular image recognition, general

6261: Vascular image recognition, hand

6262: Vascular image recognition, finger



6263: Collector position change

6264: Position of use, vertical

6265: Position of use, horizontal

6266: Position of use, inclined

6267: Permanent-magnet moving-coil instrument

6268: Permanent-magnet ratiometer; permanent-magnet quotientmeter

6269: Moving-iron instrument, polarized

6270: Moving permanent-magnet instrument

6271: Moving permanent-magnet ratiometer; moving permanent-magnet quotientmeter

6272: Moving-iron instrument, general

6273: Moving-iron ratiometer; moving-iron quotientmeter

6274: Electrodynamic instrument, ironless

6275: Electrodynamic instrument, iron-cored; ferro-dynamic instrument, iron-cored

6276: Electro-dynamic (ferro-dynamic) ratiometer, ironless; electro-dynamic (ferro-dynamic) quotientmeter, ironless

6277: Electro-dynamic (ferror-dynamic) ratiometer, iron-cored; electro-dynamic (ferror-dynamic) quotientmeter, iron-cored

6278: Induction instrument



6279: Induction ratiometer; induction quotientmeter

6280: Bimetallic instrument

6281: Electrostatic instrument

6282: Vibrating-reed instrument; vibrating-reed frequency metre

6283: Thermal converter, non-insulated thermocouple

6284: Thermal converter, insulated thermocouple

6285: Zero / span adjuster

6286: Overload protection device fitted



6287: Negation

6288: IC-CPD, general; in-cable control and protection device, general

6289: IC-CPD, switched protective conductor included

6290: IC-CPD, non-switched protective conductor included

6291: Residual current sensitive device (RCD), additional function integrated

6293: Not for IT system

6294: AIS SAR aircraft

6295: Concentric circle



6296: LUM connection; luminaire connection

6297: Residual current sensitive device (RCD), type B symbol element

6298: Electrotechnical protection, general

6299: Hexagon

6301: Ultra-violet light source, exposure distance

6302: Welding time, continuous mode

6303: Welding time, intermittent mode

6304: Welding power source, engine



6305: Welding power output, submerged arc welding

6306: Welding power output, manual metal arc welding with covered electrodes

6307: Welding power output, tungsten inert-gas welding

6308: Welding power output, metal inert and active gas welding including the use of flux cored wire

6309: Welding power output, self-shielded flux cored arc welding

6310: Welding power output, plasma cutting

6311: Welding power output, plasma gouging

6312: Welding power output, plasma welding



6313: Electrode holder, air carbon arc gouging

6314: Air carbon arc gouging

6315: Air flow, general

6316: Air flow, narrowed; air pressure

6317: Air flow, filtered; air filter

6318: Arc striking, without contact

6319: Arc striking, with contact

6320: Distance, general; dimension, general

6321: Resistor, general; series device

6322: Shunt

6323: Electronic device in a measuring circuit

6324: Electronic device in an auxiliary circuit

6326: Slide show

6327: Global positioning system; GPS

6328: Tulip; UMF

6330A-1: Wireless signal level, very strong signal



6330A-2: Wireless signal level, strong signal

6330A-3: Wireless signal level, weak signal

6330A-4: Wireless signal level, very weak signal

6330A-5: Wireless signal level, no signal

6330B-1: Wireless signal level, very strong signal

6330B-2: Wireless signal level, strong signal

6330B-3: Wireless signal level, weak signal

6330B-4: Wireless signal level, very weak signal



6330B-5: Wireless signal level, no signal	6331: Not suitable for outlet with normal water pressure

This is a preview - click here to buy the full publication

EC, ISO, Geneva, Switzerland. All rights reserved